University of Illinois at Urbana-Champaign Dept. of Electrical and Computer Engineering

ECE 101: Computing Technologies and the Internet of Things

Virtual and Augmented Reality

Pokemon Really Exist! (in AR phone view)

Have you seen a Pokemon?

Pokemon Go

- ° Captures reality with a camera,
- °Augments the scene, and
- ° Projects the merged image onto the screen.

"It's the first mainstream case of augmented reality applied to the masses."

"... it takes commonplace technologies such as **GPS**, mapping and satellite services and combines them with **location services**, landmarks and Nintendo's familiar characters,... made it possible for augmented reality to blend into the background and allow the game experience to lead."



Shopping with AR


What companies use augmented reality?

Amazon, Target, Walmart,

... using AR to help customers.

Thinking of buying a new chair?

Why not see how it will look in your apartment first?



How does it Work?

Start by Building a Model of the Object

In advance,

- ° Take images from many angles
- ° Construct a **3D model** of object
- ° Including surface **textures**.

Use Position from IMU Sensors

Add in IMU readings from phone and graphics

User in home environment

- ° "places" and orients object,
- othen moves around (tracked by IMU) and
- ° phone renders 3D object to produce AR.

In the future (and in present in very advanced applications),

- ° lighting and other environmental aspects
- ° can be extracted in real-time and
- ° composed onto the virtual object
- ° to better integrate them into the scene.


Teleconferencing with AR

In 2009, Nuvixa* (later Personify)

- oused a **depth camera** combined with edge detection
- ° to segment and extract humans from video,
- ° overlaying them in real-time on other video feeds, slides, and so on.

More than a decade later, such features are now common in many tools.


*Founded by UIUC ECE faculty.



experiment from 2012

Teleconferencing with AR

- ° 2016 Zoom virtual backgrounds
- ° 2019 Facetime provided face tracking with **memoji**
- 2020 Skype, Google, Microsoft, Webex, and Facebook provided virtual backgrounds
- ° 2021 Messenger provided AR Experiences



Some Other Current AR Applications


Real-time translation overlays (really useful!)

Invisible ink artwork-only exists in the app! (WallaMe)

Rulers, solar path, sky maps, finding your car











Some Future AR Applications

Enhanced view of surgical procedures

- ° based on previously collected patient data
- ° (example: shape and extent of tumor mass)
- ° current health indicators—heartbeat, blood pressure, and so forth.

3D preview of meals at restaurants:

- ° see appearance and portion size
- And how it all fits together before you order!





AR and VR

°AR - Augmented reality, designed to add digital elements over real-world views shown on a single display, with limited interaction.

E.g. Pokemon Go!


°VR - Virtual reality completely immersive computergenerated environment that blocks out the real world, usually via a headset device and headphones designed for such activities.

E.g. A video game on a headset like an Meta Quest or Vision Pro

https://dynamics.microsoft.com/en-us/mixed-reality/guides/what-is-augmented-reality-ar/

Mixed Reality

- MR Mixed reality Blends the physical and digital worlds, allowing virtual objects to be anchored to and interact with real-world spaces and vice-versa. Users can see and interact with both.
 - E.g. A designer placing a virtual 3D model of furniture in their real living room and walking around it.
 - E.g. A user manipulating virtual 3D objects with their hands in a real room, with the objects responding to their movements.



Representation of the virtuality continuum (adapted from Milgram; Kishino, 1994)

Extended Reality

• ER -Extended reality (XR)— covering all types of technologies that enhance our senses.

• The umbrella term for all immersive technologies, including AR, VR, and MR. It represents the entire spectrum of real-and-virtual

combined worlds.

Ref: Article by Interaction Design Foundation Augmented Reality (AR)

View of the *physical* or real-world with an overlay of digital elements Mixed Reality (MR)

Reality (XR)
Umbrella term for any technology that alters reality
by adding digital elements to the *real*-world
environment to any extent

Blend of the *physical* or *real*-world with digital or virtual elements where physical and digital elements can interact Virtual Reality (VR)

View of a fully-immersive digital environment

Low Immersion

Physical or real-world environment High Immersion

Virtual environment

12

AR/VR Applications


- Education: VR creates virtual labs and immersive tours, while AR overlays interactive models on textbooks to enhance learning.
- **Healthcare**: VR aids surgical simulations and AR guides medical procedures, improving precision and reducing risks.
- Engineering and Design: VR helps with prototyping and architectural visualization, enabling immersive experience of structures before construction.
- Retail and Marketing: AR enables virtual tryons and interactive advertisements, creating engaging customer experiences.



The Future with AR/VR - the Metaverse

Virtual desktop for students:

- whether you're at your desk, in the library, or in the classroom,
- ° everything you've studied
- ° as well as the entire Internet
- ° is at your fingertips to peruse and connect
- ° while you work.



Future AR: Your Own Application

From previous semesters:

- ^o Smart Glasses: Navigation instructions, additional information on what you see, identity details of people, etc.
- ° **Virtual Textbooks**: Medical students realistic illustrations and diagrams while you study from the textbook
- ° Training Surgeons -
 - ° more information about the patient and procedure
 - Anatomical overlays on the patients real image
- Virtual Sheet music in VR: Focus on the instrument not on the sheet music; helps with memorization,
- ^o **Learn to Play Music**: Look at notes and replay the music, highlight parts of the instrument to play
- Rehearsals for Performance (AR) Imaging what performance venue would be like with audience (to practice)
- Art Appreciation and Learn to Draw: Lookup piece that matches description and show how to draw/paint/make it

Future AR: Your Own Application

From previous semesters:

- **Training Engineers**: Step by step process to examine parts of an engine work/interact with components; Better understanding of its part
- ° **Flight/Driving simulators**: Pilot/Driver experience; especially how to deal with mechanical failures
- ^o Virtual Construction Plans what building will look like, how they will fill up the space
- ° **Interior decor** not just looks but effective arrangement of furniture to utilize the space
- ° Virtual Travel look at a place before you go there (VR), more information about place you visit scan a building and learn about its history
- Online courses (VR) virtual classroom for people to interact in

Sense-Compute-Communicate-Actuate: Sensing the Humans

With the exception of using the IMU, most AR applications don't monitor the user.


Let's take a look at sensing the humans.

Motion Capture Records Human and Animal Motion

Motion capture, or mo-cap, started in the 1970s.

By the late 1980s and early 1990s, it was used heavily for **computer game animation**.

By mid- to late 1990s, movies started to make use of it for both special effects and to capture more natural motion for animated characters.




Markers Reduce Image Processing Workload

Historically, most systems have been **based** on either passive or active markers.

Markers

- ° attached to full body suits
- ° (you can see them in the photo), and
- ° motion is **tracked optically**.



Mo-Cap Enables Reproduction of Human Expressions

One difficult problem solved with mo-cap

° is the ability to record the relation between

human emotion, speech, and facial expressions.

^o Actors are recorded, features extracted and then cast onto animated characters.

ML models are becoming able to emulate human expressions, but **perhaps not yet** to the level needed for movies.



GenAI catching up rapidly

Markerless Capture for Home Use


Progress in vision enabled markerless mo-cap.


2006: Nintendo Wii (limited markers)

- fused active markers with IMUs
- ° to enable capture of game players.

2010: Microsoft Kinect (no markers)

- blended depth detection with feature identification
- ° to provide wire models (stick figures) of players.





Mo-Cap Has Many Commercial Uses

Commercial versions

- ° with many more cameras and
- ° much more computing power are
- ° used frequently today for movies,
- ° providing advice on athletic performance e.g. golf swings, tennis racket movement, baseball pitches and so forth.



What Happens When We Combine Technologies?

Motion capture studios have been available for decades.

So have audio recording technologies.

Now we have the power of Generative AI.

What can we do when we combine them?

Digital Twins Replicate Real Objects, Even People

A digital twin is a virtual replica, with properties based

on observations of the original.

It could be as simple

° as a 3D model of an object

° captured with multiple cameras and

° constructed with image textures

° on a polygonal model.

Or it could be as complex as a real person.

Record Your Life ... for a Week

Imagine that, starting tomorrow,

° you spent a week sitting in a motion capture room

° with 50 camera/speaker devices pointed at you.

An interviewer asks you questions

° about everything you've ever done or felt,

° and you answer candidly.

Your answers are all recorded,

° generating a few **Terabytes** of data

° (high-resolution, high-speed video!).

Big deal. It fits on a \$100 drive.

Buy two in case one goes bad.



Now Add in Vision and NLP

Today, in addition to recording video and audio,

- ° we also have speech recognition
- ° and parametrized models of speech
- ° that allow us to capture a person's accent and speaking style
- ° and **natural language processing** to build models of how answers fit together and can be queried.

Enhance Missing Information by Mining the Internet

Recorded data about your

- ° background, characteristics, and personality
- ° can be enhanced with data mined from the Internet,
- ° adding depth and detail to your comments
- ° (as well as explanations for any outdated idioms!).


Of course, your digital twin still won't be existing outside of augmented reality.

Put It All Together and Voila! A Virtual Human!

In other words,

- ° if we combine a physical model
- ° and a mental model
- trained with data recorded in natural language,

we can create a fairly realistic virtual human!



Immersion: the Goal of Most Virtual Realities

As with some games, including computer games, one "goal" is to enable a player to temporarily forget that the game world is not the real world.

This property is called "immersion."

Traditional Gaming Has Barriers to Immersion

When a game is played on a small display, with sounds coming from one or two directions, and instructions delivered through a keyboard, mouse, or game controller, achieving immersion requires a significant imaginative effort on the part of the player.

Realistic VR can help!

Real Physics Can be Simulated to Help Immersion

In the mid 2000s, a startup called **Ageia** worked to develop **a chip for simulated physics**, to enable everything from more destructible environments to more realistic folding of cloth and motion of fog.

Eventually, the idea migrated into software and was acquired by <u>NVIDIA</u> in 2008, which provided access to game developers through the **PhysX** programming interface.



Sanjay Patel,
Professor of ECE and
Chief Architect at Ageia
https://csl.illinois.edu/news-and-media/patels-

company-agrees-be-acquired-nvidia

Real Immersion ... in a VR Cave!

In 1992, researchers at UI Chicago developed a VR cave (a sister installation of the original CAVE operated on the Urbana-Champaign campus from 1995 until the close of the Illinois Simulator Lab in 2017)

- •A room covered with displays and speakers.
- •A headset allowed distinct images to be delivered to each eye, providing the illusion of a 3D world surrounding the user.

Virtual Immersion—Just Wear the Headset

Between technological challenges, cost, and other factors, the approach did not become commercially viable until 2016, in which year three separate companies introduced products.

- Oculus Rift
- HTC Vive
- Sony Playstation VR

Virtual Reality Headsets

The top players

- ° Microsoft <u>HoloLens</u>
- ° Apple <u>Vision Pro</u>
- ° Meta Quest 2/3
- Sony PlayStation VR2
- ° HTC Vive Pro 2

Immersion and the Five Senses

Humans have **five senses**:

- •Sight and hearing are covered fairly well by today's VR.
- •Smell and taste are chemical in origin and (unlikely) to be handled directly in the near future.
- Touch ... is called haptics. Let's talk about touch.

Haptics Simulates Touch-Related Experiences

Haptics: simulated touch.

Haptics has made a lot of progress, and is **used** widely to control robots that need to maneuver around living things, especially humans.

Haptics feedback includes things like vibration and arcade-game mechanical equipment that moves to simulate acceleration in the game world.

But most haptic interfaces for providing a touch sense to humans are still in the **research phase**.



Controlling Touch: Brain-Controlled Prosthetics

By 2013, it was possible to attach a **prosthetic arm** to a human and have the human **control** it **with** their **brain**.

In other words, the arm acted as a real arm.

In 2021, a high school student in Virginia produced such an arm on a 3D printer. DIY prosthetics!



Current Prosthetics Do Not Feel

These arms moved, but did not feel.

In 2020,

- ° researchers started adding haptics,
- ° placing touch sensors on the fingers.
- ° the outputs were then fed into nerves in the upper arm.

"Feeling" with Prosthetics Also Here Soon

The signals produced by the sensors

- ° are not trained to emulate the original signals
- ° sent by the absent hand

But the human brain

- ° is plastic enough (adapts to new input)
- ° such that the signals eventually "feel" like the original!

At least, once the haptics provide enough information.

In the current versions, they are fairly simplistic.

Terminology You Should Know from These Slides

- ° augmented reality (AR)
- ° virtual reality (VR)
- ° mixed reality (MR)
- ° extended Reality (XR)
- °VR headset
- ° motion capture (mo-cap)
- ° digital twin
- ° immersion
- ° haptics

Concepts You Should Know from These Slides

- ° uses for AR
- ° basic operation and approaches to AR
- ° uses of VR
- ° use of markers versus feature identification for mo-cap
- ° use of mo-cap to capture human expressions
- o how to make a digital twin
- ° why immersion is hard with a computer or game console
- ° need for realism to support immersion
- ° inclusion of haptics in AR