


ECE 220 Computer Systems & Programming

Lecture 12 – Sorting Algorithms & Recursion

October 7, 2025



- Quiz3 should be completed by Wednesday

I ILLINOIS

Electrical & Computer Engineering

GRAINGER COLLEGE OF ENGINEERING

Insertion Sort:

1. remove item from array, insert it at the proper location in the sorted part by shifting other items;
2. repeat this process until the end of array is reach.

Step 1: assume first item is "sorted"

5	2	6	1	3	9
---	---	---	---	---	---

Step 2: remove the next item from array

5		6	1	3	9
	2				

Step 3: since $5 > 2$, shift 5 to create space

	5	6	1	3	9
	2				

Step 4: insert 2 into the empty space

2	5	6	1	3	9
---	---	---	---	---	---

Exercise: implement a function that performs insertion sort in ascending order



This function takes one argument: a pointer to the array.

```
#define SIZE 4

void insertion_sort(int array[]) {
    int i, j, temp, empty_idx;
    for(i=1; i<_____; i++){
        /* start with the 2nd element in the array */
        temp = array[i];
        empty_idx = _____;
        for(j=i-1; j>_____; j--){
            if(temp < array[j]){
                /* shift element to the right */

                /* update empty_idx */


            }
        } /* end of inner for loop */
        /* insert temp at empty_idx */
        array[_____] = temp;
    } /* end of outer for loop */
}
```



Quick Sort: also called divide-and-conquer

1. pick a pivot and partition array into 2 subarrays;
2. then sort subarrays using the same method.

Pivot Element (p)



Recursion

A **recursive function** is one that solves its task by **calling itself** on smaller pieces of data.

- Similar to recurrence function in mathematics
- Like iteration -- can be used interchangeably; sometimes recursion results in a simpler solution
- Must have at least 1 **base case** (terminal case) that ends the recursive process

Example: Running Sum ($\sum_1^n i$)

Mathematical Definition:

```
RunningSum(1) = 1  
RunningSum(n) =  
    n + RunningSum(n-1)
```



Recursive Function:

```
int RunningSum(int n) {  
    if (n == 1)  
        return 1;  
    else  
        return n + RunningSum(n-1);  
}
```

Fibonacci Number

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144, ...

$$\begin{cases} F_n = F_{n-1} + F_{n-2} \\ F_0 = 0 \\ F_1 = 1 \end{cases}$$

```
int Fibonacci(int n){ /* assume n is non-negative */
```

```
}
```

Fibonacci with Look-up Table

```
int table[100];  
/* assume each element will be initialized to -1 in main */  
  
int fibonacci(int n){ /* assume 0<=n<100 */  
    /* if fibonacci(n) has been calculated, return it */  
  
    /* otherwise, perform the calculation, save it to table  
       and then return it */  
  
}
```

Recursive Binary Search

/* This function takes four arguments: **pointer** to a sorted array in ascending order, the **search item**, the **start index** and the **end index** of the array. If the search item is found, the function returns its index in the array. Otherwise, it returns -1. */

```
int binary(int array[], int item, int start, int end){
```

```
}
```

Quick Sort


```
/* Assume partition() function is given. It chooses a pivot and
returns the index of the pivot after partitioning the array. */
int partition(int array[], int start, int end);

/* This function takes 3 arguments: a pointer to the array, the
start index of the array and the end index of the array. The array
should be sorted in ascending order after the function call. */

void quicksort(int array[], int start, int end){

}
```

A Sneak Peek at Big-O



<https://levelup.gitconnected.com/big-o-time-complexity-what-it-is-and-why-it-matters-for-your-code-6c08dd97ad59>