

# Introduction

## Problem

With the collection of trading cards expanding, collectors and sellers face a significant logistical challenge; sorting through thousands of cards efficiently to identify and categorize them for storage or sale. According to business research insights, the trading card market was valued at \$956 million in 2021 with projection seeing it rise more and more per year (“Trading Card Market Size, Share, Growth | Forecast - 2031”). With individual cards being worth thousands of dollars nowadays, the stakes and accuracy of sorting through many packs of cards is critical. Reselling websites such as Ebay have witnessed a 142% boost in card sales in 2020 (Lindner). There are currently many ways to store and organize cards through booklets and trays; there are even playing card sorters you can buy. However, there is a clear lack of a tool that can help people go through trading cards. The current manual sorting process is time-consuming and prone to error, leading to missed opportunities or damages to the cards. Not only this, but the use of fingers can possibly damage and smudge the cards, lowering the value of the trading card.

## Solution


This team proposes a solution that aims to address the lack of a trading card sorting by building a device that will allow its user to efficiently sort through a pack of Pokemon cards without fail. This Automatic Trading Card Sorter will leverage existing technologies and combine

them into a single package that will be easily fabricated. We aim to reduce the time and effort required to sort trading cards while also maintaining the card's condition.


To implement the Automatic Trading Card Sorter(ATCS), we will aim for simplicity first. Based on the machine shop's input, it was found that it will be better to use a feeder that will dispense one card to be read by a camera, be assigned a classifier value, and then moved to the appropriate sorted pile. The mechanism for dispensing one card will involve a clever design for the feeder and servo motor that will hold one end of the card, while the camera scans the other. For this solution, we aim to sort by 3 to 4 colors. Since most trading cards of color have the borders colored, only a small section of the camera will be analyzed by the camera that will be using computer vision to tell the colors apart. Once a color has been identified, the onboard microcontroller will handle the logic of what to do with that color and decide what direction the platform motor should rotate. The way cards will be sorted is by having the platform where they are being analyzed rotate and place the card into a bin of the appropriate color. There will be buttons available to pause the machine so the user can empty a bin and place it back, and buttons for which colors are enabled to be analyzed. LEDs will accompany the color buttons so that the user is aware of which colors are currently being sorted.

Our solution will decrease the time and effort trading card enthusiasts go through when going through a new pack of cards. Allowing them more time to organize their collections for storage or sale, and becoming a staple in the card collectors home.


# Visuals



Top View Top Plate:



Top View Bottom Plate :




## High level Requirements

1. Two packs of Pokemon cards(22 cards) will be sorted by primary color. With one extra bin for non- RGB cards. Maximum of 2 mis-colored cards with the goal of achieving at least 90% accuracy in sorting. This means that we would consider it a **success** if 16 out of the 20 actual pokemon cards are sorted in the correct spaces.
2. A single pack(12 cards) should be able to be sorted in 15 sec or less.
3. Computer Vision can handle all cases of color and be able to identify non-colored cards. Therefore a range of colors will be looked for. Once identified, a correct primary color will be sent to the microcontroller that is 90% accurate to the original color.

# Design

## Block Diagram



# Subsystem Overview

## Power Subsystem

- The system will have two power sources. The 5v power source will directly power the Raspberry Pi. The reason for the separate power source is the fact that connecting both the motors and Raspberry Pi on the same source may cause fluctuations in the PI. Therefore, having the motors be powered by a 9v battery that is regulated down to 6v will allow both sections to not interfere with each other. In the future, combining both systems will be possible so long as a capacitor circuit is used to stabilize the Raspberry PI voltage.

## Motor Subsystem

- Use the ECEb store servo motors as the base for the movement mechanism of this project as suggested by the machine shop. The goal of this system is to transport a card from a hold and move it along to an area it can be dropped into by the other spinning servo motor. The motors will be controlled through serial communication to microcontrollers in the Control system which handle both motors. They will have a limited turn radius but that will also allow for precise control over them.

## User Interface Subsystem

- The User Interface will consist of six buttons that will interact with the device. The reason we went with buttons is that we value the robustness of physical switches rather than online software. There will be four buttons to decide on which colors are on the sorting list. Whether the user only wants reds sorted or perhaps all three at the same time. The user will be free to choose. The fourth button will be for non RGB colored colors. There will also be function buttons such as a Halt button and a Reset button. The Halt button

will pause the current operation while the reset button will move the motors back into a starting position.

### Camera System

- For this device, the camera system will be the main way for trading cards to be identified. The camera will be a PI cam since its capabilities with the PI will simplify the process and avoid having to match another camera's standards to the Raspberry PI. The camera will be slotted in a space where it can look up at a part of the card. From here, the card is then moved based on what the Raspberry determines the color to be

### Control Subsystem

- This system will consist of a Raspberry Pi 4 with a daughter board PCB that will fit an ATM chip as the microcontroller. The Raspberry Pi will take the Pi cam data and use OpenCV, a computer vision extension, to determine the primary color of the card on a range. Meaning that if a color is orange, it will get rounded to red for example. The logic of handling what to do with the color and which motor to spin will be determined by the ATM. The microcontroller will also handle responses from the buttons that the user presses and light up the appropriate LEDs.

## Subsystem Requirements

## Tolerance Analysis

*Identify an aspect of your design that poses a risk to successful completion of the project. Demonstrate the feasibility of this component through mathematical analysis or simulation.*

### **Risks:**

1. Card slot thickness

- a. Talking with the machine shop, a big problem we would need to address is creating a slot for the machine to only accept one card at a time. If the slot is too big, multiple cards will be sent to the organized pile without being organized. If the slot is too small we risk damaging the card. Pokemon cards in specific are printed on 12pt card stock. This means that each card is 0.012 inches thick. So in order to only accept one card, we would need the slot to be in between 0.012 and 0.024 inches tall, since anything larger than .024 inches would allow for two cards to pass through at once.
2. Speed and efficient throughput
  - a. In order for this project to be considered successful, the speed and accuracy of the machine must be significantly better than that of a human. This means that motors in our machine must be running quickly. Speed leads to two possible issues: increased thermals and the design of the top plate must be both light and robust enough to handle spinning at a high speed. This means that we would need to tune both the speed and power draw of the platform rotation motor.
3. Effect on the card
  - a. The goal of the machine is to make it easier for collectors to organize their cards. Because of this, it is essential that the machine itself doesn't apply enough pressure to the card so that it'll cause a dent or launch it at a speed that would damage an edge. In order to deal with this issue we would need to test different ways to tension the card against the wheel connected to the card motor.

## Ethics and Safety

When considering the ethics of and Safety of the Automatic Trading Card Sorter(ATCS), it is crucial to adhere to the established codes of ethics provided by the Institute of Electrical and Electronics Engineers (IEEE) and Association for Computing Machinery(ACM). By adhering to these codes below, the ATCS will be able to address potential misuse of the device and safety concerns.

### Ethical Considerations

[IEEE Code of Ethics](#): By incorporating these rules into our project, we can clearly articulate the team's commitment to ethical principles and professional conduct. This will not only guide the

team's decision making, but ensure to the project staff and our users that we are serious about developing our device.

- Rule 1: Emphasizing the importance of safety, health, and welfare of the public. Through the use of the halt/pause button, emergency stops in case of emergency are possible. Testing of the design will ensure proper mechanical and electrical safety measures that may be added along the way.
- Rule 5: Seeking, accepting, and offering honest criticism of technical work is critical to any design which ultimately leads to improvements and innovation. Acknowledging and correcting errors, being transparent about the capabilities of and limitations of the design , and creating detailed documentation will foster an environment of integrity and collaboration.
- Rule 7: Treating all the team members and users of the device with fairness and respect is fundamental. We encourage new ideas within the team at every step of the process by staying in constant contact with each other and ensuring that group members agree with major decisions.
- Rule 8: Committing to a harassment-free environment, including the prohibition of bullying behavior, ensures a safe and positive atmosphere for all team members and stakeholders involved in the project. If needed, a TA can be called to mediate a discussion if serious enough.

#### [Code of Ethics:](#)

In general, we aim to focus on honesty, fairness and the protection of confidential information.

To the best of our ability we will strive to achieve high quality in both the process and products of professional work.

- 1.1- Contribute to society and to human well-being, acknowledging that all people are stakeholders in computing. We hope to have the ATCS impact the trading card market and ease the user experience.
- 1.2 Avoid harm: Design the device to minimize risks to users, including physical harm from mechanical parts or psychological. In particular, ensuring that the removing parts such as the motors don't injure anyone or damage the cards is a priority.

## Safety Concerns

To ensure the safety of our device, we will separate it into mechanical and electrical components. With the development and operation of a physical device comes an inherent safety risk, including both electrical hazards and mechanical malfunctions that could lead to injury or property damage. To mitigate these risks, the project will:

1. Rigorous Testing and Enclose of Components:
  - a. Implement rigorous testing phases to ensure all moving parts and electrical components are securely enclosed, significantly reducing the risk of accidents.
  - b. Design the device with integrated fail-safes, such as using a servo motor with 90 degrees of mobility. Including a pause button will also allow the user to pause the device in case of an emergency.
2. Responsive Mechanism for Malfunctions
  - a. Equip the device with mechanisms that allow moving parts to halt immediately in case of a card jam or any malfunction, ensuring quick response to potential hazards.
  - b. Inclusion of a pause button is crucial as it provides the user with the ability to stop the device instantly. Also, measures to prevent the over rotation of servo motors to prevent uncontrollable movements.

3. Optimization of Motor Strength
  - a. Carefully calibrate the motor strength to ensure cards are handled gently without being dented or damaged, preserving the integrity of trading cards during sorting.
4. Adherence to Electronic Tolerances
  - a. Determine the electronic tolerances to prevent overheating, short-circuiting or any electrical failures.

## Avoiding Ethical Breaches & Safety Issues

To effectively avoid any breaches in ethics and safety, a 2 step plan will be followed to avoid these issues:

1. Risk Assessment
  - ISO 12100: “Safety of machinery...”. This standard will provide guidelines for identifying hazards, assessing risks, and implementing measures to mitigate these risks. It will serve as a foundation for which through risk assessments will be conducted on mechanical and electrical components of the device
  - [Unknown \(nobelcert.com\)](#)
    - See page 19 for the Strategy Guidelines
2. Continuous Review and Testing
  - IEEE 29119-1: Software and Systems Engineering testing. Provides a framework for which testing practices and validation processes that ensure software components of the project meet safety and regulatory requirements.
  - [ISO/IEC/IEEE 29119-1, Software and systems engineering—Software testing—Part 1: Concepts and definitions \(wildart.github.io\)](#)

- See Figure no. 5 in page 19 for dynamic test process and Figure no. 4 in page 17 for a general approach in prioritizing testing procedures

## Works Cited

*ISO/IEC/IEEE 29119-1, Software and systems engineering—Software testing—Part 1:*

*Concepts and definitions*, 1 September 2013,

<https://wildart.github.io/MISG5020/standards/ISO-IEC-IEEE-29119-1.pdf>.

Accessed 8 February 2024.

“,” *IEEE Code of Ethics*, 19 May 2023,

<https://www.ieee.org/about/corporate/governance/p7-8.html>. Accessed 8

February 2024.

“ACM Code of Ethics and Professional Conduct.” *Association for Computing Machinery*,

<https://www.acm.org/code-of-ethics>. Accessed 8 February 2024.

Lindner, Jannik. “Trading Card Industry Statistics [Fresh Research] • Gitnux.” *Gitnux*,

<https://gitnux.org/trading-card-industry-statistics/>. Accessed 8 February 2024.

“Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010).” *nobelcert.com*, 9 October 2010,

<https://nobelcert.com/DataFiles/FreeUpload/BS%20EN%20ISO%2012100-2010.pdf>. Accessed 8 February 2024.

“Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010).” *nobelcert.com*, 9 October 2010,

<https://nobelcert.com/DataFiles/FreeUpload/BS%20EN%20ISO%2012100-2010.pdf>. Accessed 8 February 2024.

“Trading Card Market Size, Share, Growth | Forecast - 2031.” *Business Research Insights*,

<https://www.businessresearchinsights.com/market-reports/trading-card-market-102964>. Accessed 8 February 2024.