Algorithms & Models of Computation CS/ECE 374, Fall 2020

# **16.5**


# The meta graph of strong connected components

# Strong Connected Components (SCCs)


#### Algorithmic Problem


Find all SCCs of a given directed graph.

Previous lecture: Saw an  $O(n \cdot (n + m))$  time algorithm. This lecture: sketch of a O(n + m) time algorithm.



# Graph of SCCs





Graph of SCCs  $G^{SCC}$ 

Meta-graph of SCCs

Let  $S_1, S_2, \ldots S_k$  be the strong connected components (i.e., SCCs) of G. The graph of SCCs is  $G^{SCC}$ 


• Vertices are  $S_1, S_2, \ldots S_k$ 

② There is an edge (S<sub>i</sub>, S<sub>j</sub>) if there is some u ∈ S<sub>i</sub> and v ∈ S<sub>j</sub> such that (u, v) is an edge in G.

## Reversal and $\operatorname{SCCs}$

#### Proposition

For any graph G, the graph of SCCs of  $G^{rev}$  is the same as the reversal of  $G^{SCC}$ .



# The meta graph of $\operatorname{SCCs}$ is a $\operatorname{DAG}$ ...

#### Proposition

For any graph G, the graph  $G^{SCC}$  has no directed cycle.

#### Proof.

If  $G^{SCC}$  has a cycle  $S_1, S_2, \ldots, S_k$  then  $S_1 \cup S_2 \cup \cdots \cup S_k$  should be in the same SCC in G. Formal details: exercise.

## To Remember: Structure of Graphs

**Undirected graph:** connected components of G = (V, E) partition V and can be computed in O(m + n) time.

**Directed graph:** the meta-graph  $G^{SCC}$  of *G* can be computed in O(m + n) time.  $G^{SCC}$  gives information on the partition of *V* into strong connected components and how they form a DAG structure.

Above structural decomposition will be useful in several algorithms

# THE END

(for now)

. . .