

Here are several problems that are easy to solve in  $O(n)$  time, essentially by brute force. Your task is to design algorithms for these problems that are significantly faster.

**1** Suppose we are given an array  $A[1..n]$  of  $n$  distinct integers, which could be positive, negative, or zero, sorted in increasing order so that  $A[1] < A[2] < \dots < A[n]$ .

- 1.A.** Describe a fast algorithm that either computes an index  $i$  such that  $A[i] = i$  or correctly reports that no such index exists.
- 1.B.** Suppose we know in advance that  $A[1] > 0$ . Describe an even faster algorithm that either computes an index  $i$  such that  $A[i] = i$  or correctly reports that no such index exists. (**Hint:** This is **really** easy.)

**2** Suppose we are given an array  $A[1..n]$  such that  $A[1] \geq A[2]$  and  $A[n-1] \leq A[n]$ . We say that an element  $A[x]$  is a **local minimum** if both  $A[x-1] \geq A[x]$  and  $A[x] \leq A[x+1]$ . For example, there are exactly six local minima in the following array:

9	7	7	2	1	3	7	5	4	7	3	3	4	8	6	9
	▲			▲				▲		▲	▲			▲	

Describe and analyze a fast algorithm that returns the index of one local minimum. For example, given the array above, your algorithm could return the integer 9, because  $A[9]$  is a local minimum. (**Hint:** With the given boundary conditions, any array **must** contain at least one local minimum. Why?)

**3** Suppose you are given two sorted arrays  $A[1..n]$  and  $B[1..n]$  containing distinct integers. Describe a fast algorithm to find the median (meaning the  $n$ th smallest element) of the union  $A \cup B$ . For example, given the input

$$A[1..8] = [0, 1, 6, 9, 12, 13, 18, 20] \quad B[1..8] = [2, 4, 5, 8, 17, 19, 21, 23]$$

your algorithm should return the integer 9. (**Hint:** What can you learn by comparing one element of  $A$  with one element of  $B$ ?)

*To think about later:*

**4** Now suppose you are given two sorted arrays  $A[1..m]$  and  $B[1..n]$  and an integer  $k$ . Describe a fast algorithm to find the  $k$ th smallest element in the union  $A \cup B$ . For example, given the input

$$A[1..8] = [0, 1, 6, 9, 12, 13, 18, 20] \quad B[1..5] = [2, 5, 7, 17, 19] \quad k = 6$$

your algorithm should return the integer 7.