## Week 3 Tutorial Problems

## 1. Congruence classes of perfect squares

All congruence classes in this problem are base 4.

- a) Compute  $\{[x^2] \mid x \in \mathbb{Z}\}.$
- b) Notice that  $[a] \neq [b]$  implies  $a \neq b$ . (Do you see why this is true?) Using this fact and the result from part (a), prove that for all integers x and y,  $x^2 + y^2 \neq 4000003$ . (Do not use a calculator.)

## 2. Sets warmup

Consider the following sets:  $A = \{2\}$ ,  $B = \{A, \{4, 5\}\}$ ,  $C = B \cup \emptyset$ ,  $D = B \cup \{\emptyset\}$ .

- a) Which of the sets have more than two elements?
- b) Which of the following are true:

$$2 \in A, 2 \in B, \{2\} \in A, \{2\} \in B, \emptyset \in C, \emptyset \in D,$$
$$\emptyset \subseteq A, \{2\} \subseteq A, \{2\} \subseteq B$$

## 3. Cross product

- a) Find an example of sets A and B such that  $A \times B = B \times A$ . Then find a second such pair of sets (try to make this second example feel different from your first, e.g. don't just rename some elements).
- b) Consider the following incomplete statement:

For sets A and B, if \_\_\_\_\_ then  $A \times B \neq B \times A$ .

Create a true claim by filling in the blank with a statement about A and B that does not mention Cartesian products. Try to make the *strongest* possible claim, i.e. ideally your statement should still be true even if we replaced the "if-then" by an "if and only if". If you have extra time, also prove your claim. Hint: two sets are not-equal if and only if there exists an element that is in one but not the other.