


# CS 225

## Data Structures

*Nov. 29 – Graph Traversal (DFS)*

*Wade Fagen-Ulmschneider*

# Traversal: BFS



d	p		Adjacent
0	A	A	C B D
1	A	B	A C E
1	A	C	B A D E F
1	A	D	A C F H
2	C	E	B C G
2	C	F	C D G
3	E	G	E F H
2	D	H	D G



```
1 BFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and cross edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      BFS(G, v)
```

```
14 BFS(G, v) :
15   Queue q
16   setLabel(v, VISITED)
17   q.enqueue(v)
18
19   while !q.empty():
20     v = q.dequeue()
21     foreach (Vertex w : G.adjacent(v)):
22       if getLabel(w) == UNEXPLORED:
23         setLabel(v, w, DISCOVERY)
24         setLabel(w, VISITED)
25         q.enqueue(w)
26       elseif getLabel(v, w) == UNEXPLORED:
27         setLabel(v, w, CROSS)
```

# BFS Analysis

**Q:** Does our implementation handle disjoint graphs?  
If so, what code handles this?


- ***How do we use this to count components?***

**Q:** Does our implementation detect a cycle?

- ***How do we use this to count components?***

**Q:** What is the running time?

# Running time of BFS



While-loop at **:19?**

For-loop at **:21?**

d	p	v	Adjacent
0	A	A	C B D
1	A	B	A C E
1	A	C	B A D E F
1	A	D	A C F H
2	C	E	B C G
2	C	F	C D G
3	E	G	E F H
2	D	H	D G



```
1 BFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and cross edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      BFS(G, v)
```

```
14 BFS(G, v) :
15   Queue q
16   setLabel(v, VISITED)
17   q.enqueue(v)
18
19   while !q.empty():
20     v = q.dequeue()
21     foreach (Vertex w : G.adjacent(v)):
22       if getLabel(w) == UNEXPLORED:
23         setLabel(v, w, DISCOVERY)
24         setLabel(w, VISITED)
25         q.enqueue(w)
26       elseif getLabel(v, w) == UNEXPLORED:
27         setLabel(v, w, CROSS)
```

# BFS Observations


Q: What is a shortest path from **A** to **H**?

Q: What is a shortest path from **E** to **H**?

Q: How does a cross edge relate to **d**?

Q: What structure is made from discovery edges?

d	p	v	Adjacent
0	A	A	C B D
1	A	B	A C E
1	A	C	B A D E F
1	A	D	A C F H
2	C	E	B C G
2	C	F	C D G
3	E	G	E F H
2	D	H	D G



# BFS Observations

**Obs. 1:** Traversals can be used to count components.

**Obs. 2:** Traversals can be used to detect cycles.


**Obs. 3:** In BFS, **d** provides the shortest distance to every vertex.

**Obs. 4:** In BFS, the endpoints of a cross edge never differ in distance, **d**, by more than 1:

$$|d(u) - d(v)| = 1$$



# Traversal: DFS



```
1 BFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and cross edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      BFS(G, v)
```

```
14 BFS(G, v) :
15   Queue q
16   setLabel(v, VISITED)
17   q.enqueue(v)
18
19   while !q.empty():
20     v = q.dequeue()
21     foreach (Vertex w : G.adjacent(v)):
22       if getLabel(w) == UNEXPLORED:
23         setLabel(v, w, DISCOVERY)
24         setLabel(w, VISITED)
25         q.enqueue(w)
26       elseif getLabel(v, w) == UNEXPLORED:
27         setLabel(v, w, CROSS)
```

```
1 DFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and back edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      DFS(G, v)
```

```
14 DFS(G, v) :
15 — Queue q
16   setLabel(v, VISITED)
17 — q.enqueue(v)
18
19 — while !q.empty():
20 — v = q.dequeue()
21   foreach (Vertex w : G.adjacent(v)) :
22     if getLabel(w) == UNEXPLORED:
23       setLabel(v, w, DISCOVERY)
24       setLabel(w, VISITED)
25       DFS(G, w)
26     elseif getLabel(v, w) == UNEXPLORED:
27       setLabel(v, w, BACK)
```


# Running time of DFS


## Labeling:

- Vertex:
- Edge:

## Queries:

- Vertex:
- Edge:





# CS 225 – Things To Be Doing

**Exam 11 (theory) is ongoing**

More Info: <https://courses.engr.illinois.edu/cs225/fa2017/exams/>

**MP7: The final MP!**

*Extra Credit (+14): Monday, Dec. 4 at 11:59pm*

*Due: Monday, Dec. 11 at 11:59pm*

**Lab: lab\_graphs starts today**

*lab\_dict: Due Today @ 7pm (Before the first lab!)*

*lab\_graphs: Due Sunday @ 11:59pm*

**New POTDs every M/W/F**

*Worth +1 Extra Credit /problem (up to +40 total)*