

List ADT

An *abstract data type* is a description of data being stored as well as valid operations that together describe a fundamental data type. A key part of this description is that implementation details are irrelevant.

What operations and data are required for the List ADT?

Two Basic Implementations of List:

- 1.
- 2.

Linked Memory:



List.h	
28	class ListNode {
29	T & data;
30	ListNode * next;
31	ListNode(T & data) : data(data), next(NULL) { }
32	};

Coding with Linked Lists: Examples

List.h	
1	#pragma once
2	
3	template <typename T>
4	class List {
5	public:
6	/* ... */
...	private:
28	class ListNode {
29	T & data;
30	ListNode * next;
31	ListNode(T & data) : data(data), next(NULL) { }
32	};
33	
34	
35	
36	
37	
38	
39	};

List.hpp	
9	#include "List.h"
10	
11	template <typename T>
12	void List<T>::insertAtFront(T & t) {
13	
14	
15	
16	
17	
18	
19	
20	}
39	template <typename T>
40	typename List<T>::ListNode * &
	List<T>::_index(unsigned index) {
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	}

Can you parse the meaning and logic behind the method:

```
typename List<T>::ListNode *& List<T>::_index(unsigned index)
```

Why did we choose to return type 'T &' for the [] operation?

How would you define a find() method using the same templated class?