

### Assignment Operator – Self Destruction

- Programmers are sometimes not perfect Consider the following:

```

assignmentOpSelf.cpp
1 #include "Cube.h"
2
3 int main() {
4     cs225::Cube c(10);
5     c = c;
6     return 0;
7 }
    
```

- Ensure your assignment operator doesn't self-destroy:

```

Cube.cpp
1 #include "Cube.h"
...
40 Cube& Cube::operator=(const Cube &other) {
41     if (&other != this) {
42         _destroy();
43         _copy(other);
44     }
45     return *this;
46 }
    
```

### Inheritance

In nearly all object-oriented languages (including C++), classes can be extended to build other classes. We call the class being extended the **base class** and the class inheriting the functionality the **derived class**.

Shape.h	Square.h
<pre> class Shape { public:     Shape();     Shape(double length);     double getLength() const;  private:     double length_; };                 </pre>	<pre> #include "Shape.h"  class Square : public Shape { public:     double getArea() const;  private:     // Nothing! };                 </pre>

In the above code, **Square** is derived from the base class **Shape**:

- All **public** functionality of **Shape** is part of **Square**:

```

main.cpp
5 int main() {
6     Square sq;
7     sq.getLength(); // Returns 1, the len init'd
8                     // by Shape's default ctor
...
    
```

- [Private Members of **Shape**]:

### Virtual

- The **virtual** keyword allows us to override the behavior of a class by its derived type.

### Example:

Cube.cpp	RubikCube.cpp
<pre> Cube::print_1() {     cout &lt;&lt; "Cube" &lt;&lt; endl; }  Cube::print_2() {     cout &lt;&lt; "Cube" &lt;&lt; endl; }  virtual Cube::print_3() {     cout &lt;&lt; "Cube" &lt;&lt; endl; }  virtual Cube::print_4() {     cout &lt;&lt; "Cube" &lt;&lt; endl; }  // In .h file: virtual print_5() = 0;                 </pre>	<pre> // No print_1()  RubikCube::print_2() {     cout &lt;&lt; "Rubik" &lt;&lt; endl; }  // No print_3()  RubikCube::print_4() {     cout &lt;&lt; "Rubik" &lt;&lt; endl; }  RubikCube::print_5() {     cout &lt;&lt; "Rubik" &lt;&lt; endl; }                 </pre>

	Cube c;	RubikCube c;	RubikCube rc; Cube &c = rc;
c.print_1();			
c.print_2();			
c.print_3();			
c.print_4();			
c.print_5();			

## Polymorphism

Object-Orientated Programming (OOP) concept that a single object may take on the type of any of its base types.

- A **RubikCube** may polymorph itself to a **Cube**
- A **Cube** cannot polymorph to be a **RubikCube** (*base types only*)

**Why Polymorphism?** Suppose you're managing an animal shelter that adopts cats and dogs:

### Option 1 – No Inheritance

animalShelter.cpp	
1	Cat & AnimalShelter::adopt() { ... }
2	Dog & AnimalShelter::adopt() { ... }
3	...

### Option 2 – Inheritance

animalShelter.cpp	
1	Animal & AnimalShelter::adopt() { ... }

## Pure Virtual Methods

In **Cube**, `print_5()` is a **pure virtual** method:

Cube.h	
1	virtual Cube::print_5() = 0;

A pure virtual method does not have a definition and makes the class and **abstract class**.

## Abstract Class:

1. [Requirement]:
2. [Syntax]:
3. [As a result]:

## Abstract Class Animal

In our animal shelter, **Animal** is an abstract class:

## Abstract Data Types (ADT):

List ADT - Purpose	Function Definition

## List Implementation

What types of List do we want?

## Templates in C++

Two key ideas when using templates in C++:

- 1.
- 2.

## Templated Functions:

functionTemplate1.cpp	
1	
2	T maximum(T a, T b) {
3	T result;
4	result = (a > b) ? a : b;
5	return result;
6	}

## CS 225 – Things To Be Doing:

1. Theory Exam #1 is ongoing; ensure you take it!
2. MP2 due Feb. 11 (10 days), EC deadline in 3 days!
3. Lab Extra Credit → Attendance in your registered lab section!
4. Daily POTDs