

### Disjoint Sets


Let **R** be an equivalence relation. We represent R as disjoint sets

- Each element exists in exactly one set.
- Every set is an equitant representation.
  - Mathematically:  $4 \in [0]_R \rightarrow 8 \in [0]_R$
  - Programmatically: `find(4) == find(8)`

### Building Disjoint Sets:

- Maintain a collection  $S = \{s_0, s_1, \dots, s_k\}$
- Each set has a representative member

```
void makeSet(const T & t);
void union(const T & k1, const T & k2);
T & find(const T & k);
```




[0]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]

Operation: `find(k)`

Operation: `union(k1, k2)`

### Implementation #2:

- Continue to use an array where the index is the key
- The value of the array is:
  - **-1**, if we have found the representative element
  - **The index of the parent**, if we haven't found the rep. element



<b>4</b>	<b>8</b>	<b>5</b>	<b>-1</b>	<b>-1</b>	<b>-1</b>	<b>3</b>	<b>-1</b>	<b>4</b>	<b>5</b>
[0]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]

### Implementation – DisjointSets::find

```
DisjointSets.cpp (partial)
1 int DisjointSets::find(int i) {
2   if ( s[i] < 0 ) { return i; }
3   else { return _find( s[i] ); }
4 }
```

What is the running time of `find`?


What is the ideal UpTree?

### Implementation – DisjointSets::union

```
DisjointSets.cpp (partial)
1 void DisjointSets::union(int r1, int r2) {
2
3
4 }
```

How do we want to union the two UpTrees?

### Building a Smart Union Function



The implementation of this visual model is the following:

<b>6</b>	<b>6</b>	<b>6</b>	<b>8</b>	<b>-1</b>	<b>10</b>	<b>7</b>	<b>-1</b>	<b>7</b>	<b>7</b>	<b>4</b>	<b>5</b>
[0]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]	[11]

What are possible strategies to employ when building a “smart union”?

**Smart Union Strategy #1:** \_\_\_\_\_

**Idea:** Keep the height of the tree as small as possible!

**Metadata at Root:**

After union( 4, 7 ):

6	6	6	8		10	7		7	7	4	5
[0]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]	[11]

**Smart Union Strategy #2:** \_\_\_\_\_

**Idea:** Minimize the number of nodes that increase in height.  
(Observe that the tree we union have all their nodes gain in height.)

**Metadata at Root:**

After union( 4, 7 ):

6	6	6	8		10	7		7	7	4	5
[0]	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]	[11]

**Smart Union Implementation:**

```

DisjointSets.cpp (partial)
1 void DisjointSets::unionBySize(int root1, int root2) {
2     int newSize = arr_[root1] + arr_[root2];
3
4     if ( arr_[root1] < arr_[root2] ) {
5         arr_[root2] = root1; arr_[root1] = newSize;
6     } else {
7         arr_[root1] = root2; arr_[root2] = newSize;
8     }
9 }

```

**How do we improve this?**

```

DisjointSets.cpp (partial)
1 int DisjointSets::find(int i) {
2     if ( arr_[i] < 0 ) { return i; }
3     else { return _find( arr_[i] ); }
4 }

```

```

DisjointSets.cpp (partial)
1 void DisjointSets::unionBySize(int root1, int root2) {
2     int newSize = arr_[root1] + arr_[root2];
3
4     // If arr_[root1] is less than (more negative), it is the
5     // larger set; we union the smaller set, root2, with root1.
6     if ( arr_[root1] < arr_[root2] ) {
7         arr_[root2] = root1;
8         arr_[root1] = newSize;
9     }
10    // Otherwise, do the opposite:
11    else {
12        arr_[root1] = root2;
13        arr_[root2] = newSize;
14    }
15 }

```

**Running Time:**

- Worst case running time of find(k):
- Worst case running time of union(r1, r2), given roots:
- New function: “Iterated Log”:  
 $\log^*(n) :=$
- Overall running time:
  - A total of **m** union/find operation runs in:

CS 225 – Things To Be Doing:
<ol style="list-style-type: none"> <li>1. mp_mazes due released</li> <li>2. Lab Section: lab_heaps starts today!</li> <li>3. Daily POTDs are ongoing!</li> </ol>