

Programming in C

Today, you'll begin your very first program in C!

- You already know how to program in C++! 🎉
- Programming in C is a simplification of the C++ programming.

1. Program Starting Point of ALL C PROGRAMS:

2. Printing Using printf() (and include <stdio.h>):

03/printf.c

```
3 int main() {
4     int i = 42;
5     char *s = "Hello, world!";
6     float f = 3.14;
7
8     printf("%d %s %f\n", i, s, f);
9     printf("%d\n", s[0]);
10    printf("%d\n", s);
11    printf("%d\n", f);
12    return 0;
13 }
```

printf has a variable number of arguments:

First argument

Additional arguments

3. Pointers:

4. Heap Memory Allocation:

03/malloc.c

```
3 int main() {
4     char *s = malloc(10);
5     int *num = malloc( sizeof(int) );
6
7     printf("%p %p\n", s, num);
8     return 0;
9 }
```

5. Strings – There is no “data type” in C known as a string. Instead, we refer to “C Strings” as a sequence of characters:

- A “C string” is just a character pointer: _____.
- The string continues until it reaches a _____ byte.
- C will automatically include the NULL byte **ONLY** when using double quotes in your code (*not counted as part of the length, but **does require memory** – **extremely tricky!***)

03/string.c

```
6 char *s = malloc(6);
7 strcpy(s, "cs340");
8 printf("s[0]: 0x%x == %d == %c\n", s[0], s[0], s[0]);
9 printf("s[4]: 0x%x == %d == %c\n", s[4], s[4], s[4]);
10 printf("s[5]: 0x%x == %d == %c\n", s[5], s[5], s[5]);
11 printf("s == \"%s\", strlen(s): %ld\n", s, strlen(s));
12
13 char *s2 = s + 2;
14 printf("s2[0]: 0x%x == %d == %c\n", s2[0], s2[0], s2[0]);
15 printf("s2 == \"%s\", strlen(s2): %ld\n", s2, strlen(s2));
16
17 *s2 = 0;
18 printf("s2[0]: 0x%x == %d == %c\n", s2[0], s2[0], s2[0]);
19 printf("s2 == \"%s\", strlen(s2): %ld\n", s2, strlen(s2));
20
21 printf("s == \"%s\", strlen(s): %ld\n", s, strlen(s));
```

...what is happening in memory?

03/utf8.c

```
6 char *s = malloc(5);
7 s[0]=0xF0; s[1]=0x9F; s[2]=0x8E; s[3]=0x89; s[4]=0x00;
8
9 char *s1 = "\xF0\x9F\x8E\x89";
10 char *s2 = "🐼";
11 char *s3 = "\U0001f389"; // \U - must be 8 bytes
12
13 printf("%s %s %s %s\n", s, s1, s2, s3);
14 printf("strlen(): %ld %ld %ld %ld\n", strlen(s), strlen(s1),
        strlen(s2), strlen(s3));
```

...how can we represent non-ASCII characters in C code?

Some extremely useful built in string functions:

- strcmp(char *s1, char *s2) -- Compares two strings
- strcat(char *dest, char *src) -- Concatenate two strings
- strcpy(char *dest, char *src) -- Copies a string
- strlen(char *s) -- Returns the length of the string

Logic Gates and Truth Tables

We can begin to define the building blocks of the CPU by basic instructions with input bits and output bits through **logical gates**.

- By convention, you will see that the input bits are labeled **A** and **B** by default.

Logic Gate #1:

Logic Gate #2:

Logic Gate #3:

Logic Gate Challenge: **A XOR B**

We can also express this in a table known as a **truth table**:

Op.	Binary	Math	Example Values		
	A	x	1100	110011	101
	B	y	1010	11	010
AND	A & B	xy			
OR	A B	x + y			
XOR	A ^ B	x XOR y			
NOT	!A	x'			

Truth Table: Half Adder

A	B	A + B	SUM	CARRY

Truth Table for a Half Adder

Circuit Diagram for a “Half Adder”:

Full Adder:

A	B	CARRY _{in}			SUM	CARRY _{out}

Truth Table for a Full Adder

Circuit Diagram for a “Full Adder”:

Chaining Circuits Together: _____

Disadvantages: