


Write your answers in the separate answer booklet.
 Please return this question sheet and your cheat sheet with your answers.

1. **Clearly** indicate the following structures in the directed graph below, or write NONE if the indicated structure does not exist. Don't be subtle; to indicate a collection of edges, draw a heavy black line along the entire length of each edge.




- (a) A depth-first tree rooted at x .
- (b) A breadth-first tree rooted at y .
- (c) A shortest-path tree rooted at z .
- (d) The shortest directed cycle.

2. Let G be a **directed** graph, where every vertex v has an associated height $h(v)$, and for every edge $u \rightarrow v$ we have the inequality $h(u) > h(v)$. Assume all heights are distinct. The *span* of a path from u to v is the height difference $h(u) - h(v)$.

Describe and analyze an algorithm to find the **minimum span** of a path in G with **at least** k edges. Your input consists of the graph G , the vertex heights $h(\cdot)$, and the integer k . Report the running time of your algorithm as a function of V , E , and k .

For example, given the following labeled graph and the integer $k = 3$ as input, your algorithm should return the integer 4, which is the span of the path $8 \rightarrow 7 \rightarrow 6 \rightarrow 4$.



3. Suppose you have an integer array $A[1..n]$ that *used* to be sorted, but Swedish hackers have overwritten k entries of A with random numbers. Because you carefully monitor your system for intrusions, you know *how many* entries of A are corrupted, but not *which* entries or what the values are.

Describe an algorithm to determine whether your corrupted array A contains an integer x . Your input consists of the array A , the integer k , and the target integer x . For example, if A is the following array, $k = 4$, and $x = 17$, your algorithm should return TRUE. (The corrupted entries of the array are shaded.)


2	3	99	7	11	13	17	19	25	29	31	-5	41	43	47	53	8	61	67	71
---	---	----	---	----	----	----	----	----	----	----	----	----	----	----	----	---	----	----	----

Assume that x is not equal to any of the the corrupted values, and that all n array entries are distinct. Report the running time of your algorithm as a function of n and k . A solution only for the special case $k = 1$ is worth 5 points; a complete solution for arbitrary k is worth 10 points. [Hint: First consider $k = 0$; then consider $k = 1$.]

4. Suppose you are given a directed graph G in which every edge is either red or blue, and a subset of the vertices are marked as *special*. A walk in G is *legal* if color changes happen only at special vertices. That is, for any two consecutive edges $u \rightarrow v \rightarrow w$ in a legal walk, if the edges $u \rightarrow v$ and $v \rightarrow w$ have different colors, the intermediate vertex v must be special.

Describe and analyze an algorithm that either returns the length of the shortest legal walk from vertex s to vertex t , or correctly reports that no such walk exists.¹

For example, if you are given the following graph below as input (where single arrows are red, double arrows are blue), with special vertices x and y , your algorithm should return the integer 8, which is the length of the shortest legal walk $s \rightarrow x \rightarrow a \rightarrow b \rightarrow x \Rightarrow y \Rightarrow b \Rightarrow c \Rightarrow t$. The shorter walk $s \rightarrow a \rightarrow b \Rightarrow c \Rightarrow t$ is not legal, because vertex b is not special.



5. Let G be a directed graph with weighted edges, in which every vertex is colored either red, green, or blue. Describe and analyze an algorithm to compute the length of the shortest walk in G that starts at a red vertex, then visits any number of vertices of any color, then visits a green vertex, then visits any number of vertices of any color, then visits a blue vertex, then visits any number of vertices of any color, and finally ends at a red vertex. Assume all edge weights are positive.

¹If you've read China Miéville's excellent novel *The City & the City*, this problem should look familiar. If you haven't read *The City & the City*, I can't tell you why this problem should look familiar without spoiling the book.