

**7** (100 PTS.) **OLD Homework problem (not for submission):**

Draw me a giraffe.

For each of the following languages in **7.A.–7.C.**, draw an NFA that accepts them. Your automata should have a small number of states. Provide a short explanation of your solution, if needed.

- 7.A.** (25 PTS.) All strings in  $\{0, 1, 2\}^*$  such that at least one of the symbols 0, 1, or 2 occurs at most 4 times. (Example: 1200201220210 is in the language, since 1 occurs 3 times.)
- 7.B.** (25 PTS.)  $((01)^*(10)^* + 00)^* \cdot (1 + 00 + \varepsilon) \cdot (11)^*$ .
- 7.C.** (25 PTS.) All strings in  $\{0, 1\}^*$  such that the last symbol is the same as the third last symbol. (Example: 1100101 is in the language, since the last and the third last symbol are 1.)
- 7.D.** (25 PTS.) Use the power-set construction (also called subset construction) to convert your NFA from **7.C.** to a DFA. You may omit unreachable states.

**8** (100 PTS.) **OLD Homework problem (not for submission):**

Fun with parity.

Given  $L \subseteq \{0, 1\}^*$ , define  $even_0(L)$  to be the set of all strings in  $\{0, 1\}^*$  that can be obtained by taking a string in  $L$  and inserting an even number of 0's (anywhere in the string). Similarly, define  $odd_0(L)$  to be the set of all strings  $x$  in  $\{0, 1\}^*$  that can be obtained by taking a string in  $L$  and inserting an odd number of 0's.

(Example: if 01101  $\in L$ , then 01010000100  $\in even_0(L)$ .)

(Another example: if  $L$  is  $1^*$ , then  $even_0(L)$  can be described by the regular expression  $(1^*01^*0)^*1^*$ .)

The purpose of this question is to show that if  $L \subseteq \{0, 1\}^*$  is regular, then  $even_0(L)$  and  $odd_0(L)$  are regular.

- 8.A.** (30 PTS.) For each of the base cases of regular expressions  $\emptyset$ ,  $\varepsilon$ , 0, and 1, give regular expressions for  $even_0(L(r))$  and  $odd_0(L(r))$ .
- 8.B.** (60 PTS.) Given regular expressions for  $e_j = even_0(L(r_j))$  and  $o_j = odd_0(L(r_j))$ , for  $j \in \{1, 2\}$ , give regular expressions for
- (i)  $even_0(L(r_1 + r_2))$
  - (ii)  $odd_0(L(r_1 + r_2))$
  - (iii)  $even_0(L(r_1r_2))$
  - (iv)  $odd_0(L(r_1r_2))$
  - (v)  $even_0(L(r_1^*))$
  - (vi)  $odd_0(L(r_1^*))$

Give brief justification of correctness for each of the above.

- 8.C. (10 PTS.) Using the above, describe (shortly) a recursive algorithm that given a regular expression  $r$ , outputs a regular expression for  $even_0(L(r))$  (similarly describe the algorithm for computing  $odd_0(L(r))$ ).

**9** (100 PTS.) **OLD Homework problem (not for submission):**  
“+1”.

Let  $\text{binary}(i)$  denote the binary representation of a positive integer  $i$ . (Note that the string  $\text{binary}(i)$  must start with a 1.)

Given a language  $L \subseteq \{0, 1\}^*$ , define  $\text{INC}(L) = \{\text{binary}(i + 1) \mid \text{binary}(i) \in L\}$ . For the time being assume that  $L$  does not contain any string of  $1^*$ .

(Example: for  $L = \{100, 101011, 1101\}$ , we have  $\text{INC}(L) = \{101, 101100, 1110\}$ .)

- 9.A. (30 PTS.) Given a DFA  $M = (Q, \Sigma, \delta, s, A)$  for  $L$ , describe **informally** (in a few sentences) how to construct an NFA  $M_w$  for  $\text{INC}(L)$ .
- 9.B. (30 PTS.) Given a DFA  $M = (Q, \Sigma, \delta, s, A)$  for  $L$ , describe **formally** how to construct an NFA  $M'$  for  $\text{INC}(L)$ .
- 9.C. (30 PTS.) Prove formally the correctness of your construction from (9.B.). That is, prove that  $\text{INC}(L) = L(M')$ .
- 9.D. (10 PTS.) Describe formally how to modify the construction of  $M'$  from above, to handle that general case (without the above assumption) that  $L$  might also contain strings of the form  $1^*$ . You do not need to provide a proof of correctness of the new automata.