

Programming Languages and Compilers (CS 421)

Sasa Misailovic
4110 SC, UIUC



<https://courses.engr.illinois.edu/cs421/fa2017/CS421A>

Based in part on slides by Mattox Beckman, as updated
by Vikram Adve, Gul Agha, and Elsa L Gunter

Lambda Calculus - Motivation

- Aim is to capture the essence of functions, function applications, and evaluation
- λ -calculus is a theory of computation
- “The Lambda Calculus: Its Syntax and Semantics”. H. P. Barendregt. North Holland, 1984

Lambda Calculus - Motivation

- All sequential *programs* may be viewed as functions from input (initial state and input values) to output (resulting state and output values).
- λ -calculus is a mathematical formalism of functions and functional computations
- Two flavors: typed and untyped

Untyped λ -Calculus

- Only three kinds of expressions:
 - Variables: x, y, z, w, \dots
 - Abstraction: $\lambda x. e$
(Function creation, think $\text{fun } x \rightarrow e$)
 - Application: $e_1 e_2$

Untyped λ -Calculus Grammar

- Formal BNF Grammar:

- $\langle \text{expression} \rangle ::= \langle \text{variable} \rangle$
 - | $\langle \text{abstraction} \rangle$
 - | $\langle \text{application} \rangle$
 - | $(\langle \text{expression} \rangle)$
- $\langle \text{abstraction} \rangle ::= \lambda \langle \text{variable} \rangle . \langle \text{expression} \rangle$
- $\langle \text{application} \rangle ::= \langle \text{expression} \rangle \langle \text{expression} \rangle$

Untyped λ -Calculus Terminology

- **Occurrence:** a location of a subterm in a term
- **Variable binding:** $\lambda x. e$ is a binding of x in e
- **Bound occurrence:** all occurrences of x in $\lambda x. e$
- **Free occurrence:** one that is not bound
- **Scope of binding:** in $\lambda x. e$, all occurrences in e not in a subterm of the form $\lambda x. e'$ (same x)
- **Free variables:** all variables having free occurrences in a term


Example

- Label occurrences and scope:

$$(\lambda \underset{1}{x} . \underset{2}{y} \lambda \underset{3}{y} . \underset{4}{y} (\lambda \underset{5}{x} . \underset{6}{x} \underset{7}{y}) \underset{8}{x}) \underset{9}{x}$$

Example

- Label occurrences and scope:



Untyped λ -Calculus

- How do you compute with the λ -calculus?
- Roughly speaking, by substitution:
- $(\lambda x. e_1) e_2 \Rightarrow^* e_1 [e_2 / x]$
- * Modulo all kinds of subtleties to avoid free variable capture

Transition Semantics for λ -Calculus

$$\frac{E \rightarrow E''}{E E' \rightarrow E'' E'}$$

- Application (version 1 - Lazy Evaluation)

$$(\lambda x . E) E' \rightarrow E[E'/x]$$

- Application (version 2 - Eager Evaluation)

$$\frac{E' \rightarrow E''}{(\lambda x . E) E' \rightarrow (\lambda x . E) E''}$$

$$(\lambda x . E) V \rightarrow E[V/x]$$

V - variable or abstraction (value)

How Powerful is the Untyped λ -Calculus?

- The untyped λ -calculus is Turing Complete
 - Can express any sequential computation
- Problems:
 - How to express basic data: booleans, integers, etc?
 - How to express recursion?
 - Constants, `if_then_else`, etc, are conveniences; can be added as syntactic sugar

Typed vs Untyped λ -Calculus

- The *pure* λ -calculus has no notion of type:
 $(f\ f)$ is a legal expression
- Types restrict which applications are valid
- Types are not syntactic sugar! They disallow some terms
- Simply typed λ -calculus is less powerful than the untyped λ -Calculus: NOT Turing Complete (no recursion)

Uses of λ -Calculus

- Typed and untyped λ -calculus used for theoretical study of sequential programming languages
- Sequential programming languages are essentially the λ -calculus, extended with predefined constructs, constants, types, and syntactic sugar
- Ocaml is close to the λ -Calculus:

$$\text{fun } x \rightarrow \text{exp} == \lambda x. \text{exp}$$

$$\text{let } x = e_1 \text{ in } e_2 == (\lambda x. e_2)e_1$$

α Conversion

- **α -conversion:**

$$\lambda x. \exp \dashv\alpha\dashrightarrow \lambda y. (\exp [y/x])$$

- Provided that

1. **y is not free in exp**
2. **No free occurrence of x in exp becomes bound in exp when replaced by y**

α Conversion Non-Examples

1. Error: y is not free in term second

$$\lambda x. x y \underset{\alpha}{\cancel{\rightarrow}} \lambda y. y y$$

2. Error: free occurrence of x becomes bound in wrong way when replaced by y

$$\lambda x. \underbrace{\lambda y. x y}_{\text{exp}} \underset{\alpha}{\cancel{\rightarrow}} \lambda y. \lambda \underbrace{y. y y}_{\text{exp}[y/x]}$$

But $\lambda x. (\lambda y. y) x \underset{\alpha}{\rightarrow} \lambda y. (\lambda y. y) y$

And $\lambda y. (\lambda y. y) y \underset{\alpha}{\rightarrow} \lambda x. (\lambda y. y) x$

Congruence

- Let \sim be a relation on lambda terms.
 \sim is a **congruence** if
- it is an equivalence relation
- If $e_1 \sim e_2$ then
 - $(e\ e_1) \sim (e\ e_2)$ and $(e_1 e) \sim (e_2 e)$
 - $\lambda x. e_1 \sim \lambda x. e_2$

α Equivalence

- α equivalence is the smallest congruence containing α conversion
- One usually treats α -equivalent terms as equal - i.e. use α equivalence classes of terms

Example

Show: $\lambda x. (\lambda y. y x) x \sim_{\alpha} \lambda y. (\lambda x. x y) y$

- $\lambda x. (\lambda y. y x) x \rightarrow_{\alpha} \lambda z. (\lambda y. y z) z$ so
- $\lambda x. (\lambda y. y x) x \sim_{\alpha} \lambda z. (\lambda y. y z) z$
- $(\lambda y. y z) \rightarrow_{\alpha} (\lambda x. x z)$ so
- $(\lambda y. y z) \sim_{\alpha} (\lambda x. x z)$ so
- $\lambda z. (\lambda y. y z) z \sim_{\alpha} \lambda z. (\lambda x. x z) z$
- $\lambda z. (\lambda x. x z) z \rightarrow_{\alpha} \lambda y. (\lambda x. x y) y$ so
- $\lambda z. (\lambda x. x z) z \sim_{\alpha} \lambda y. (\lambda x. x y) y$
- $\lambda x. (\lambda y. y x) x \sim_{\alpha} \lambda y. (\lambda x. x y) y$

Substitution

- Defined on α -equivalence classes of terms
- $P[N/x]$ means replace every free occurrence of x in P by N
 - P called *redex*; N called *residue*
- Provided that no variable free in P becomes bound in $P[N/x]$
 - Rename bound variables in P to avoid capturing free variables of N

Substitution

- $x [N / x] = N$
- $y [N / x] = y \text{ if } y \neq x$
- $(e_1 e_2) [N / x] = ((e_1 [N / x]) (e_2 [N / x]))$
- $(\lambda x. e) [N / x] = (\lambda x. e)$
- $(\lambda y. e) [N / x] = \lambda y. (e [N / x])$ provided $y \neq x$ and y not free in N
 - Rename y in redex if necessary

Example

$$(\lambda \ y. \ y \ z) \ [(\lambda \ x. \ x \ y) \ / \ z] = ?$$

- Problems?
 - z in redex in scope of y binding
 - y free in the residue
- $(\lambda \ y. \ y \ z) \ [(\lambda \ x. \ x \ y) \ / \ z] \text{--}\alpha\text{--}>$
- $(\lambda \ w. \ w \ z) \ [(\lambda \ x. \ x \ y) \ / \ z] =$
- $\lambda \ w. \ w \ (\lambda \ x. \ x \ y)$

Example

- Only replace free occurrences
- $(\lambda y. y z (\lambda z. z)) [(\lambda x. x) / z] =$
 $\lambda y. y (\lambda x. x) (\lambda z. z)$

Not

$$\lambda y. y (\lambda x. x) (\lambda z. (\lambda x. x))$$

β reduction

- β Rule: $(\lambda x. P) N \rightarrow \beta P [N/x]$
- Essence of computation in the lambda calculus
- Usually defined on α -equivalence classes of terms

Example

- $(\lambda z. (\lambda x. x y) z) (\lambda y. y z)$
-- β --> $(\lambda x. x y) (\lambda y. y z)$
-- β --> $(\lambda y. y z) y$ -- β --> $y z$

- $(\lambda x. x x) (\lambda x. x x)$
-- β --> $(\lambda x. x x) (\lambda x. x x)$
-- β --> $(\lambda x. x x) (\lambda x. x x)$ -- β -->

$\alpha \beta$ Equivalence

- $\alpha \beta$ equivalence is the smallest congruence containing α equivalence and β reduction
- A term is in *normal form* if no subterm is α equivalent to a term that can be β reduced
- Hard fact (Church-Rosser): if e_1 and e_2 are $\alpha\beta$ -equivalent and both are normal forms, then they are α equivalent

Order of Evaluation

- Not all terms reduce to normal forms
- Not all reduction strategies will produce a normal form if one exists

Lazy evaluation:

- Always reduce the left-most application in a top-most series of applications (i.e. Do not perform reduction inside an abstraction)
- Stop when term is not an application, or left-most application is not an application of an abstraction to a term

Example I

- $(\lambda z. (\lambda x. x)) ((\lambda y. y y) (\lambda y. y y))$
- Lazy evaluation:
- Reduce the left-most application:
- $(\lambda z. (\lambda x. x)) ((\lambda y. y y) (\lambda y. y y))$
-- β --> $(\lambda x. x)$

Eager evaluation

- (Eagerly) reduce left of top application to an abstraction
- Then (eagerly) reduce argument
- Then β -reduce the application

Example I

- $(\lambda z. (\lambda x. x))((\lambda y. y y) (\lambda y. y y))$
- Eager evaluation:
- Reduce the operator of the top-most application to an abstraction: Done.
- Reduce the argument:
- $(\lambda z. (\lambda x. x))((\lambda y. y y) (\lambda y. y y))$
-- β --> $(\lambda z. (\lambda x. x))((\lambda y. y y) (\lambda y. y y))$
-- β --> $(\lambda z. (\lambda x. x))((\lambda y. y y) (\lambda y. y y))\dots$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Lazy evaluation:

$(\lambda x. \boxed{x} \boxed{x})((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. \boxed{x} \boxed{x}) \underline{((\lambda y. y y) (\lambda z. z))} \text{--}\beta\text{--}>$

$((\lambda y. y y) (\lambda z. z))$ $((\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$

$((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$
 $((\lambda y. \boxed{y} \boxed{y}) \underline{(\lambda z. z)}) ((\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$
 $((\lambda y. \boxed{y} \boxed{y}) \underline{(\lambda z. z)}) ((\lambda y. y y) (\lambda z. z))$
 $\text{--}\beta\text{--}> \boxed{((\lambda z. z) (\lambda z. z))} ((\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$
 $((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$
 $\text{--}\beta\text{--}> \boxed{((\lambda z. z) (\lambda z. z))((\lambda y. y y) (\lambda z. z))}$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{ --}\beta\text{--} >$
 $((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$
 $\text{--}\beta\text{--} > ((\lambda z. \boxed{z}) \underline{(\lambda z. z)})(\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$
- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{ --}\beta\text{--} >$
 $((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$
 $\text{--}\beta\text{--} > ((\lambda z. \boxed{z}) (\underline{\lambda z. z})) ((\lambda y. y y) (\lambda z. z))$
 $\text{--}\beta\text{--} > \boxed{(\lambda z. z)} ((\lambda y. y y) (\lambda z. z))$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$

$((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$

$\text{--}\beta\text{--}> ((\lambda z. z) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$

$\text{--}\beta\text{--}> (\lambda z. \boxed{z}) \underline{((\lambda y. y y) (\lambda z. z))}$

$\text{--}\beta\text{--}> (\lambda y. y y) (\lambda z. z)$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$

$((\lambda y. y y) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$

$\text{--}\beta\text{--}> ((\lambda z. z) (\lambda z. z)) ((\lambda y. y y) (\lambda z. z))$

$\text{--}\beta\text{--}> (\lambda z. z) ((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$


$(\lambda y. y y) (\lambda z. z)$

Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Lazy evaluation:

$(\lambda x. x x)((\lambda y. y y) (\lambda z. z)) \text{--}\beta\text{--}>$



Example 2

- $(\lambda x. x x)((\lambda y. y y) (\lambda z. z))$

- Eager evaluation:

$(\lambda x. x x) ((\lambda y. y y) (\lambda z. z)) \xrightarrow{\beta}$

$(\lambda x. x x) ((\lambda z. z) (\lambda z. z)) \xrightarrow{\beta}$

$(\lambda x. x x) (\lambda z. z) \xrightarrow{\beta}$

$(\lambda z. z) (\lambda z. z) \xrightarrow{\beta} \lambda z. z$

The diagram illustrates the eager evaluation of the lambda expression. It shows four lines of text representing the state of the expression at different stages of reduction. Red boxes highlight the parts of the expression being reduced at each step. Blue arrows point from the right side of one line to the left side of the next, indicating the direction of a beta-reduction. The first arrow points from the right side of the second line to the left side of the third line. The second arrow points from the right side of the third line to the left side of the fourth line. The third arrow points from the right side of the fourth line to the left side of the fifth line.

Untyped λ -Calculus

- Only three kinds of expressions:
 - Variables: x, y, z, w, \dots
 - Abstraction: $\lambda x. e$
(Function creation)
 - Application: $e_1 e_2$

How to Represent (Free) Data Structures (First Pass - Enumeration Types)

- Suppose τ is a type with n constructors:
 C_1, \dots, C_n (no arguments)
- Represent each term as an abstraction:
- Let $C_i \rightarrow \lambda x_1 \dots x_n. x_i$
- Think: you give me what to return in each case (think match statement) and I'll return the case for the i 'th constructor

How to Represent Booleans

- $\text{bool} = \text{True} \mid \text{False}$
- $\text{True} \rightarrow \lambda x_1. \lambda x_2. x_1 \equiv_{\alpha} \lambda x. \lambda y. x$
- $\text{False} \rightarrow \lambda x_1. \lambda x_2. x_2 \equiv_{\alpha} \lambda x. \lambda y. y$
- Notation
 - Will write
$$\lambda x_1 \dots x_n. e \text{ for } \lambda x_1. \lambda x_2. \dots \lambda x_n. e$$
$$e_1 e_2 \dots e_n \text{ for } ((\dots((e_1 e_2) e_3) \dots e_{n-1}) e_n$$

Functions over Enumeration Types

- Write a “match” function

- $\text{match } e \text{ with } C_1 \rightarrow x_1$

| ...

| $C_n \rightarrow x_n$

$\rightarrow \lambda x_1 \dots x_n e. e x_1 \dots x_n$

- Think: give me what to do in each case and give me a case, and I'll apply that case

Functions over Enumeration Types

- **type $\tau = C_1 | \dots | C_n$**
- **match e with $C_1 \rightarrow x_1$**
 | ...
 | $C_n \rightarrow x_n$
- ***match* $\tau = \lambda x_1 \dots x_n. e$. $e x_1 \dots x_n$**
- **e = expression (single constructor)**
 x_i is returned if $e = C_i$

match for Booleans

- $\text{bool} = \text{True} \mid \text{False}$
- $\text{True} \rightarrow \lambda x_1 x_2. x_1 \equiv_{\alpha} \lambda x y. x$
- $\text{False} \rightarrow \lambda x_1 x_2. x_2 \equiv_{\alpha} \lambda x y. y$
- $\text{match}_{\text{bool}} = ?$

match for Booleans

- $\text{bool} = \text{True} \mid \text{False}$
- $\text{True} \rightarrow \lambda x_1 x_2. x_1 \equiv_{\alpha} \lambda x y. x$
- $\text{False} \rightarrow \lambda x_1 x_2. x_2 \equiv_{\alpha} \lambda x y. y$
- $\text{match}_{\text{bool}} = \lambda x_1 x_2 e. e x_1 x_2$
 $\equiv_{\alpha} \lambda x y b. b x y$

How to Write Functions over Booleans

- $\text{if } b \text{ then } x_1 \text{ else } x_2 \rightarrow$
- $\text{if_then_else } b \ x_1 \ x_2 = b \ x_1 \ x_2$
- $\text{if_then_else} \equiv \lambda \ b \ x_1 \ x_2 . \ b \ x_1 \ x_2$

How to Write Functions over Booleans

- Alternately:
- $\text{if } b \text{ then } x_1 \text{ else } x_2 =$
 $\text{match } b \text{ with True } \rightarrow x_1 \mid \text{False} \rightarrow x_2 \rightarrow$
 $\text{match}_{\text{bool}} x_1 x_2 b =$
 $(\lambda x_1 x_2 b . b x_1 x_2) x_1 x_2 b = b x_1 x_2$
- if_then_else
 $\equiv \lambda b x_1 x_2. (\text{match}_{\text{bool}} x_1 x_2 b)$
 $= \lambda b x_1 x_2. (\lambda x_1 x_2 b . b x_1 x_2) x_1 x_2 b$
 $= \lambda b x_1 x_2. b x_1 x_2$

Example:

not b

= match b with True -> False | False -> True

→ (match_{bool}) False True b

= ($\lambda x_1 x_2 b . b x_1 x_2$) ($\lambda x y . y$) ($\lambda x y . x$) b

= b ($\lambda x y . y$) ($\lambda x y . x$)

- not $\equiv \lambda b . b (\lambda x y . y)(\lambda x y . x)$
- Try and, or

How to Represent (Free) Data Structures (Second Pass - Union Types)

- Suppose τ is a type with n constructors: type $\tau = C_1 t_{11} \dots t_{1k} | \dots | C_n t_{n1} \dots t_{nm}$,
- Represent each term as an abstraction:
- $C_i t_{i1} \dots t_{ij} \rightarrow \lambda x_1 \dots x_n. x_i t_{i1} \dots t_{ij}$,
- $C_i \rightarrow \lambda t_{i1} \dots t_{ij}. x_1 \dots x_n. x_i t_{i1} \dots t_{ij}$,
- Think: you need to give each constructor its arguments first

How to Represent Pairs

- Pair has one constructor (comma) that takes two arguments
- type $(\alpha, \beta)\text{pair} = (,) \alpha \beta$
- $(a , b) \rightarrowtail \lambda x . x a b$

Functions over Union Types

- Write a “match” function
- $\text{match } e \text{ with } C_1 \ y_1 \dots y_{m1} \rightarrow f_1 \ y_1 \dots y_{m1}$
| ...
| $C_n \ y_1 \dots y_{mn} \rightarrow f_n \ y_1 \dots y_{mn}$
- $\text{match } \tau \rightarrow \lambda \ f_1 \dots f_n \ e. \ e \ f_1 \dots f_n$
- Think: give me a function for each case and give me a case, and I'll apply that case to the appropriate function with the data in that case

Functions over Pairs

- $\text{match}_{\text{pair}} = \lambda f p. p f$
- $\text{fst } p = \text{match } p \text{ with } (x,y) \rightarrow x$
- $\text{fst} \rightarrow \lambda p. \text{match}_{\text{pair}} (\lambda x y. x)$
 $= (\lambda f p. p f) (\lambda x y. x) = \lambda p. p (\lambda x y. x)$
- $\text{snd} \rightarrow \lambda p. p (\lambda x y. y)$

How to Represent (Free) Data Structures (Third Pass - Recursive Types)

- Suppose τ is a type with n constructors:

$\text{type } \tau = C_1 t_{11} \dots t_{1k} | \dots | C_n t_{n1} \dots t_{nm},$

- Suppose $t_{ih} : \tau$ (ie. is recursive)
- In place of a value t_{ih} have a function to compute the recursive value $r_{ih} x_1 \dots x_n$
- $C_i t_{i1} \dots r_{ih} \dots t_{ij} \rightarrow \lambda x_1 \dots x_n . x_i t_{i1} \dots (r_{ih} x_1 \dots x_n) \dots t_{ij}$
- $C_i \rightarrow \lambda t_{i1} \dots r_{ih} \dots t_{ij} x_1 \dots x_n . x_i t_{i1} \dots (r_{ih} x_1 \dots x_n) \dots t_{ij}$

How to Represent Natural Numbers

- $\text{nat} = \text{Suc nat} \mid 0$
- $\overline{\text{Suc}} = \lambda n f x. f(n f x)$
- $\overline{\text{Suc}} n = \lambda f x. f(n f x)$
- $\overline{0} = \lambda f x. x$
- Such representation called *Church Numerals*

Some Church Numerals

- $\text{Suc } 0 = (\lambda n f x. f(n f x)) (\lambda f x. x) \rightarrow$
 $\lambda f x. f((\lambda f x. x) f x) \rightarrow$
 $\lambda f x. f((\lambda x. x) x) \rightarrow \lambda f x. f x$

Apply a function to its argument once

Some Church Numerals

- $\overline{\text{Suc}(\text{Suc } 0)} = (\lambda n f x. f(n f x)) (\text{Suc } 0) \rightarrow$
 $(\lambda n f x. f(n f x)) (\lambda f x. f x) \rightarrow$
 $\lambda f x. f((\lambda f x. f x) f x) \rightarrow$
 $\lambda f x. f((\lambda x. f x) x) \rightarrow \lambda f x. f(f x)$

Apply a function twice

In general $\overline{n} = \lambda f x. f(\dots (f x) \dots)$ with n applications of f

Primitive Recursive Functions

- Write a “fold” function
- $\text{fold } f_1 \dots f_n = \text{match } e$
with $C_1 \ y_1 \dots y_{m1} \rightarrow f_1 y_1 \dots y_{m1}$
 - | ...
 - | $C_i \ y_1 \dots r_{ij} \dots y_{in} \rightarrow f_n y_1 \dots (\text{fold } f_1 \dots f_n r_{ij}) \dots y_{mn}$
 - | ...
 - | $C_n \ y_1 \dots y_{mn} \rightarrow f_n y_1 \dots y_{mn}$
- $\text{fold} \tau \rightarrow \lambda f_1 \dots f_n e. e \ f_1 \dots f_n$
- Match in non recursive case a degenerate version of fold

Primitive Recursion over Nat

- $\text{fold } f \ z \ n =$
- $\text{match } n \text{ with } 0 \rightarrow z$
- $\quad \quad \quad | \text{ Suc } m \rightarrow f(\text{fold } f \ z \ m)$
- $\overline{\text{fold}} \equiv \lambda f \ z \ n. \ n \ f \ z$
 $\overline{\hspace{1cm}} \quad - \quad \overline{\hspace{1cm}} \quad \overline{\hspace{1cm}} \quad \overline{\hspace{1cm}} \quad - \quad -$
- $\text{is_zero } n = \text{fold } (\lambda r. \text{ False}) \text{ True } n$
- $= (\lambda f x. f^n x) (\lambda r. \text{ False}) \text{ True}$
- $= ((\lambda r. \text{ False})^n) \text{ True}$
- $\equiv \text{if } n = 0 \text{ then True else False}$

Adding Church Numerals

- $\bar{n} \equiv \lambda f x. f^n x$ and $m \equiv \lambda f x. f^m x$
- $\overline{\bar{n} + m} = \lambda f x. f^{(n+m)} x$
 $= \lambda f x. f^n (f^m x) = \lambda f x. \bar{n} f (\bar{m} f x)$
- $\bar{-} \equiv \lambda n m f x. n f (m f x)$
- Subtraction is harder

Multiplying Church Numerals

- $\overline{n} \equiv \lambda f x. f^n x$ and $m \equiv \lambda f x. f^m x$
- $\overline{\overline{n * m}} = \lambda f x. (f^{n * m}) x = \lambda f x. (f^m)^n x =$
 $\lambda f x. n (\overline{m} f) \overline{x}$
- $\overline{*} \equiv \lambda n m f x. n (m f) x$

Predecessor

- $\text{let pred_aux } n =$
 $\text{match } n \text{ with } 0 \rightarrow (0,0)$
| $\text{Suc } m$
 $\rightarrow (\text{Suc}(\text{fst}(\text{pred_aux } m)), \text{fst}(\text{pred_aux } m))$
 $= \text{fold } (\lambda r. (\text{Suc}(\text{fst } r), \text{fst } r)) (0,0) n$

- $\text{pred} \equiv \lambda n. \text{snd} (\text{pred_aux } n) n =$
 $\lambda n. \text{snd} (\text{fold } (\lambda r. (\text{Suc}(\text{fst } r), \text{fst } r)) (0,0) n)$

Recursion

- Want a λ -term Y such that for all term R we have
- $Y R = R (Y R)$
- Y needs to have replication to “remember” a copy of R
- $Y = \lambda y. (\lambda x. y(x x)) (\lambda x. y(x x))$
- $$\begin{aligned} Y R &= (\lambda x. R(x x)) (\lambda x. R(x x)) \\ &= R ((\lambda x. R(x x)) (\lambda x. R(x x))) \end{aligned}$$
- Notice: Requires lazy evaluation

Factorial

- Let $F = \lambda f n. \text{if } n = 0 \text{ then } I \text{ else } n * f(n - 1)$

$$Y F 3 = F(Y F) 3$$

$$= \text{if } 3 = 0 \text{ then } I \text{ else } 3 * ((Y F)(3 - 1))$$

$$= 3 * (Y F) 2 = 3 * (F(Y F) 2)$$

$$= 3 * (\text{if } 2 = 0 \text{ then } I \text{ else } 2 * (Y F)(2 - 1))$$

$$= 3 * (2 * (Y F)(1)) = 3 * (2 * (F(Y F) 1)) = \dots$$

$$= 3 * 2 * I * (\text{if } 0 = 0 \text{ then } I \text{ else } 0 * (Y F)(0 - 1))$$

$$= 3 * 2 * I * I = 6$$

Y in OCaml

```
# let rec y f = f (y f);;
val y : ('a -> 'a) -> 'a = <fun>
# let mk_fact =
  fun f n -> if n = 0 then 1 else n * f(n-1);;
val mk_fact : (int -> int) -> int -> int = <fun>
# y mk_fact;;
Stack overflow during evaluation (looping
recursion?).
```

Eager Eval Y in Ocaml

```
# let rec y f x = f (y f) x;;
val y : (('a -> 'b) -> 'a -> 'b) -> 'a -> 'b = <fun>
# y mk_fact;;
- : int -> int = <fun>
# y mk_fact 5;;
- : int = 120
■ Use recursion to get recursion
```

Some Other Combinators

- For your general exposure

- $I = \lambda x. x$
- $K = \lambda x. \lambda y. x$
- $K_* = \lambda x. \lambda y. y$
- $S = \lambda x. \lambda y. \lambda z. x z (y z)$