Interpreter Activity 1

Mattox Beckman

Code

Here is part of the code for the i3.hs interpreter.

```
-- The Types
   data Val = IntVal Integer
      deriving (Show, Eq)
   data Exp = IntExp Integer
             IntOpExp String Exp Exp
      deriving (Show, Eq)
   type Env = [(String,Exp)]
10
   -- Evaluator
12
   intOps = [ ("+",(+))
14
             ("-",(-))
15
             , ("*",(*))
16
             , ("/",div)]
^{17}
18
   liftIntOp f (IntVal i1) (IntVal i2) = IntVal (f i1 i2)
19
   liftIntOp f _
                                          = 0
20
21
   eval :: Exp -> Env -> Val
^{22}
   eval (IntExp i) _ = IntVal i
23
   eval (IntOpExp op e1 e2) env =
25
     let v1 = eval e1 env
         v2 = eval e2 env
27
         Just f = lookup op intOps
     in liftIntOp f e1 e2
29
```

1. With a partner, code review this. Two lines have errors! Find them and correct them.

2. Add variables to this. To do this you need to add a constructor to Exp and a clause to eval.	
3. If there's time: add comparison operations to the language. You will need a separate variable compOps do this, another constructor for Exp, and another clause for eval. You may need another lifting function well. Why can't you just combine this with intOps?	to as
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to as
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to
do this, another constructor for Exp, and another clause for eval. You may need another lifting function	to