

CS 525 Advanced Distributed Systems Spring 2016


Indranil Gupta (Indy)


Structure of Networks Apr 28, 2016



9/12/98 18:42 12 > 081TIGFLEFS OECD trade 81 it gray weak repoil. Ausschnitt. 0.0,00, 1.0, 1.0







The Internet (Internet Mapping Project, color coded by ISPs)

Food Web of Little Rock Lake, WI Twitter Social Network, 20K nodes 250K edges chrisbrogan Cyclin box Image Copyright UMBC eBiquity Research Group

Electric Power Grid

Metabolic reaction network

This Lecture: Common Thread

Networks

- Structure of,
- Dynamics within,
- We'll study networks at three different "levels"


Lowermost Level: Basics, Physical Phenomena, and Life

Complexity of Networks


- Structural: human population has ~7 B nodes, there are millions of computers on the Internet...
- Evolution: people make new friends all the time, ISP's change hands all the time...
- Diversity: some people are more popular, some friendships are more important...
- Node Complexity: Endpoints have different CPUs, Windows is a complicated OS, Mobile devices ...
- Emergent phenomena: simple end behavior \rightarrow complex system-wide behavior. *If we understand the basics of climate change, why is the weather so unpredictable?*

1. Network Structure


- "Six degrees of Kevin Bacon"
- Milgram's experiment in 1970
- Watts and Strogatz Model
- Kleinberg's algorithmic results
- Recent work on shows similarities between the structures of: Internet, WWW, p2p overlays, electric power grid, protein networks, coauthorship among scientists
- These networks have "evolved naturally"



Fully Connected graph Ring graph



Random graph




Power Law Graph (Degenerate: tree)

A Scientist's Perspective

- Two important metrics
 - Clustering Coefficient: CC
 - Pr(A-B edge, given an A-C edge and a C-B edge)
 - Path Length of shortest path
- (Extended) Ring graph: high CC, long paths
- Random graph: low CC, short paths
- Small World Networks: high CC, short paths

Convert more and more edges to point to random nodes




- Most "natural evolved" networks are small world
- Network of actors → six degrees of Kevin Bacon
- Network of humans → Milgram's experiment
- Co-authorship network → "Erdos Number"
- Many of these networks also "grow incrementally" [Faloutsos and Faloutsos]
- "Preferential" models of growth

Another Scientific Viewpoint


- That was about "nature of neighbors"; what about *number* of neighbors?
- Degree distribution what is the probability of a given node having k edges (neighbors, friends, ...)
- Regular graph: all nodes same degree
- Gaussian
- Random graph: **Exponential** $e^{-k.c}$
- Power law: $k^{-\alpha}$

Basics: The Log-Log Plot



WWW is a power law graph $\alpha = 2.1 - 2.4$

raph NCSTRL co-author graph is power law, with exponential cutoff



Electric Power Grid graph is exponential


Social network of Utah Mormons is Gaussian

Power law vs. Small World

- A lot of small world networks are power law graphs (Internet backbone, telephone call graph, protein networks)
- Not all small world networks are power law (e.g., co-author networks)
- Not all power law networks are small world
- Preferential Model for network growth generates power law distributions special way of

incremental growth

- Pr of linking to a node P is proportional to P's current degree.
- e.g., Web pages linking to each other
- Power law networks also called scale-free



Power law + Small world


Most nodes have small degree, but a few nodes have high degree

Attacks on small world networks

- Killing a large number of randomly chosen nodes does not disconnect graph
- Killing a few high-degree nodes will disconnect graph

"A few (of the many thousand)
nutrients are very important to
your body"


"The Electric Grid is very vulnerable to attacks"



2. Network Dynamics

- Strogatz goes on to discuss dynamics of many "natural networks"
- We'll focus on dynamics w.r.t. the Internet and P2P networks in the papers [Akella et al] and [Ripeanu et al]
- But let's just touch a bit on oscillation dynamics in networks...

- Networks of coupled dynamical systems
- If each node is a dynamical system, and is affected by its neighbors, what behaviors emerge from the entire network?
- E.g., Social networks, network of neurons in the brain, protein networks, ...
- An example of emergent behavior: *self-synchronization*



Self-Synchronizing Fireflies

- Synchronizing Fireflies of Malaysia and Smokies
- Each firefly: $\theta = \omega$
- Is driven by an external stimulus $\Phi = \Psi$

SO
$$\theta = \omega + A\sin(\Phi - \theta)$$


Can show self-sync occurs when

$$\omega - A < \Psi < \omega + A$$

• For more details see [Strogatz's textbook on non-linear dynamics]

Why the heart beats by itself

- Consists of a few thousand sinoatrial cells
- Each oscillating at its own frequency



- Peskin's model: when a cell fires, all other cells have a small jump in voltage
- [Why does this self-synchronize?]
 - Think of two sinoatrial cells first
- For more details, see [Strogatz's book "Sync"]

Discussion

- What is one problem where a selfsynchronizing system could be used to design a distributed protocol?
- Why is the co-authorship network different from the Internet though both follow an incremental / preferential construction?

A Level Up: The Internet


- [Faloutsos et al] showed that the Internet backbone follows a power law distribution
- [One kind of Dynamism over such a network?]

- [Faloutsos et al] showed that the Internet backbone follows a power law distribution
- [One kind of Dynamism over such a network?]
- Routing [Akella et al]

What is the stress on Internet routers due to

- Shortest path routing ("efficient")
- Policy based routing (BGP)

Internet is a multi-level topology At the highest level, it consists of AS's AS's consist of subnets, then LANS, ... AS-AS routing is done by BGP




Main Result

- Take a power law network (node has degree k with probability $k^{-\alpha}$)
- Shortest path routing, with ties broken by higher degree
- With uniform traffic model for all pairs of end nodes, maximum edge congestion grows as


 $O(n^{1+\frac{1}{\alpha}})$

[Theorem 1]



Clout Traffic Model: well-connected nodes generate more end to end traffic

+ Shortest-path routing has worse max edge congestion than with uniform traffic




Policy Routing


- Due to ISP to ISP financial contracts, AS to AS edges are either
 - Customer-provider edges, or
 - Peering edges
- Policy routing prefers customer → provider traffic
- Gives "valley free" paths: most edges are customer → provider


Clout Traffic Model: well-connected nodes generate more traffic

+ **Policy routing** also gives superlinear growth, but is better than shortest path routing



Policy-based and Shortest Path Routing give similar edge congestion for the uniform traffic model





Discussion

• Metrics: *max* edge congestion (why not *average*?)

• Why is Shortest Path Routing always worse than Policy Routing?


Discussion

- Metrics: *max* edge congestion (why not *average*?)
 - Instability from single source could spread
 - Think "Electric Power Grid failures"
 - Think "self-synchronizing routers"
- Why is Shortest Path Routing always worse than Policy Routing?
 - Shortest Path Routing is supposed to be "efficient"
 - Outrageous Opinion: Are policies the reason why the Internet stays up and robust? Should the design of Internet be left to non-technicians?

Another Level Up: Applications

Study of Gnutella


- [Ripeanu et al]
- Gnutella
 - Peer to peer Overlay
 - Users download songs from other users, upload their own songs
 - Each computer host = "peer"
 - Completely decentralized



Queries flooded out, ttl-restricted

Study of Gnutella

- 6 month period 10/00-5/01
 - Before revision of Gnutella protocol (late 2001)
- Characteristics
 - System Size
 - Network Traffic
 - Node Connectivity




95% of nodes in largest connected component Quick Growth over time (exponential?)

Spikes

Churn Characteristics


- 40% of nodes logged in for less than 4 hours
- Only 25% nodes alive for more than 24 hours



55% ping-pong messages (membership)
36% query messages
Subsequent improvements reduced these to 8%, 92% 45

95% of nodes less than 7 hops away


[Implication of ttl=7 for query messages?]



Traffic Volume


- 170 K connexns for 50 K node Gnutella
- 6 KBps per connexn → 1 GBps total
 - →330 TB/month
- 1.7% of total traffic in Internet Backbone

• Recall: [3/00] 25% UWisc traffic from Napster



Average degree of node is scale-independent On average 3.4 edges / node

Not power law But Heavy-tailed



Overlay-Network Match

- Does the Gnutella Overlay reflect the underlying Internet structure?
- Entropy technique in paper
 - Nodes identified with their domain names
 - Gnutella graph structure → clustering of nodes based on domains
 - Calculate entropy of above clustering and compare with entropy of a random selection of nodes from across domains
 - If same, Gnutella graph is random, otherwise it is more ordered
- Authors find Gnutella clustering entropy to be only 8% lower than random clustering entropy
- Gnutella structure is independent of underlying Internet [hence the term "application overlays"]

Discussion

- Do overlays really reflect the application?
- Are application-dependent overlays "unfriendly" to the network and other applications?
- What if the overlays are very large? (think PlanetLab)
- What if they are small and there are millions of them? (think overlay hosting services)
- What if they are large *and* many? (think overlay hosting services on top of PlanetLab-style clusters)

Another level Up: The Users, Humans, ...

Summary

- Humans, and the networks connecting them...societal networks, actor networks, co-authorship graphs....
- And we're back full circle!
- We've discussed
 - Network structure
 - Network dynamics
- Many commonalities
 - power law, small world ...among "naturally evolved" networks
 - social nets, metabolic nets, electric power grid, Internet, WWW,...
- Can look at in awe, but systems design also has to deal with it

Announcements

• Regular office hours next week (both Tue and Thu)

Final Report Grading

- Final report will be graded just like a conference reviewer would:
 - Importance of problem
 - **❖** Novelty of solution
 - Evaluation of solution
 - Clarity of Presentation
 - ❖ Nits (grammar, references, etc.)
 - + Business Plan (entrepreneurial projects)

Why 12 page limit?

(Mark Twain) "If I had more time, I would have written a shorter letter."

Semester's Final Lecture • Links from website

- - No reviews needed
 - Read as many as you can you'll enjoy them
 - None of them is technical!
 - By a science fiction writer, an ecologist and computer scientists
- Next Tuesday's lecture (semester's last lecture) – we'll close the discussion we started in the semester's first lecture
- Mandatory to attend