


# CS440/ECE448 Lecture 20: Markov Decision Processes

Slides by Svetlana Lazebnik, 11/2016

Modified by Mark Hasegawa-Johnson, 11/2017



# Markov Decision Processes

- In HMMs, we see a sequence of observations and try to reason about the underlying state sequence
  - There are no actions involved
- But what if we have to take an action at each step that, in turn, will affect the state of the world?

# Markov Decision Processes


- Components that define the MDP. Depending on the problem statement, you either know these, or you learn them from data:
  - **States**  $s$ , beginning with initial state  $s_0$
  - **Actions**  $a$ 
    - Each state  $s$  has actions  $A(s)$  available from it
  - **Transition model**  $P(s' \mid s, a)$ 
    - *Markov assumption*: the probability of going to  $s'$  from  $s$  depends only on  $s$  and  $a$  and not on any other past actions or states
  - **Reward function**  $R(s)$
- **Policy – the “solution” to the MDP:**
  - $\pi(s) \in A(s)$ : the action that an agent takes in any given state

# Overview

- First, we will look at how to “solve” MDPs, or find the optimal policy when the transition model and the reward function are known
- Second, we will consider **reinforcement learning**, where we don’t know the rules of the environment or the consequences of our actions


# Game show

- A series of questions with increasing level of difficulty and increasing payoff
- Decision: at each step, take your earnings and quit, or go for the next question
  - If you answer wrong, you lose everything




# Game show

- Consider \$50,000 question
  - Probability of guessing correctly:  $1/10$
  - Quit or go for the question?
- What is the expected payoff for continuing?
$$0.1 * 61,100 + 0.9 * 0 = 6,110$$
- What is the optimal decision?




# Game show

- What should we do in Q3?
  - Payoff for quitting: \$1,100
  - Payoff for continuing:  $0.5 * \$11,100 = \$5,550$
- What about Q2?
  - \$100 for quitting vs. \$4,162 for continuing
- What about Q1?




# Grid world



$R(s) = -0.04$  for every  
non-terminal state



Transition model:



Source: P. Abbeel and D. Klein




# Goal: Policy




Source: P. Abbeel and D. Klein

# Grid world




Transition model:



$R(s) = -0.04$  for every non-terminal state


# Grid world




Optimal policy when  
 $R(s) = -0.04$  for every  
non-terminal state

# Grid world


- Optimal policies for other values of  $R(s)$ :




$$R(s) < -1.6284$$



$$-0.4278 < R(s) < -0.0850$$



$$-0.0221 < R(s) < 0$$



$$R(s) > 0$$

# Solving MDPs

- MDP components:
  - **States**  $s$
  - **Actions**  $a$
  - **Transition model**  $P(s' \mid s, a)$
  - **Reward function**  $R(s)$
- The solution:
  - **Policy**  $\pi(s)$ : mapping from states to actions
  - How to find the optimal policy?

# Maximizing expected utility

- The optimal policy  $\pi(s)$  should maximize the *expected utility* over all possible state sequences produced by following that policy:

$$\sum_{\substack{\text{state sequences} \\ \text{starting from } s_0}} P(\text{sequence} | s_0, a = \pi(s_0)) U(\text{sequence})$$

- How to define the utility of a state sequence?
  - Sum of rewards of individual states
  - Problem: infinite state sequences

# Utilities of state sequences

- Normally, we would define the utility of a state sequence as the sum of the rewards of the individual states
- **Problem:** infinite state sequences
- **Solution:** *discount* the individual state rewards by a factor  $\gamma$  between 0 and 1:

$$U([s_0, s_1, s_2, \dots]) = R(s_0) + \gamma R(s_1) + \gamma^2 R(s_2) + \dots$$

$$= \sum_{t=0}^{\infty} \gamma^t R(s_t) \leq \frac{R_{\max}}{1-\gamma} \quad (0 < \gamma < 1)$$

- Sooner rewards count more than later rewards
- Makes sure the total utility stays bounded
- Helps algorithms converge

# Utilities of states


- Expected utility obtained by policy  $\pi$  starting in state  $s$ :

$$U^\pi(s) = \sum_{\substack{\text{state sequences} \\ \text{starting from } s}} P(\text{sequence} | s, a = \pi(s)) U(\text{sequence})$$

- The “true” utility of a state, denoted  $U(s)$ , is the *best possible* expected sum of discounted rewards
  - if the agent executes the *best possible* policy starting in state  $s$
- Reminiscent of minimax values of states...



# Finding the utilities of states



- If state  $s'$  has utility  $U(s')$ , then what is the expected utility of taking action  $a$  in state  $s$ ?

$$\sum_{s'} P(s' | s, a) U(s')$$

- How do we choose the optimal action?

$$\pi^*(s) = \arg \max_{a \in A(s)} \sum_{s'} P(s' | s, a) U(s')$$


- What is the recursive expression for  $U(s)$  in terms of the utilities of its successor states?

$$U(s) = R(s) + \gamma \max_a \sum_{s'} P(s' | s, a) U(s')$$

# The Bellman equation

- Recursive relationship between the utilities of successive states:

$$U(s) = R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s' | s, a) U(s')$$



# The Bellman equation

- Recursive relationship between the utilities of successive states:

$$U(s) = R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s' | s, a) U(s')$$

- For  $N$  states, we get  $N$  equations in  $N$  unknowns
  - Solving them solves the MDP
  - Nonlinear equations -> no closed-form solution, need to use an iterative solution method (is there a globally optimum solution?)
  - We could try to solve them through expectiminimax search, but that would run into trouble with infinite sequences
  - Instead, we solve them algebraically
  - Two methods: **value iteration** and **policy iteration**

# Method 1: Value iteration

- Start out with every  $U(s) = 0$
- Iterate until convergence
  - During the  $i$ th iteration, update the utility of each state according to this rule:


$$U_{i+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s' | s, a) U_i(s')$$

- In the limit of infinitely many iterations, guaranteed to find the correct utility values
  - Error decreases exponentially, so in practice, don't need an infinite number of iterations...

# Value iteration

- What effect does the update have?

$$U_{i+1}(s) \leftarrow R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) U_i(s')$$



[Value iteration demo](#)


# Value iteration

Input (non-terminal  $R=-0.04$ )

3				<b>+1</b>
2				<b>-1</b>
1	START			
	1	2	3	4

Utilities with discount factor 1

3	0.812	0.868	0.918	<b>+1</b>
2	0.762		0.660	<b>-1</b>
1	0.705	0.655	0.611	0.388
	1	2	3	4



Final policy

3	→	→	→	<b>+1</b>
2	↑		↑	<b>-1</b>
1	↑	←	←	←
	1	2	3	4

## Method 2: Policy iteration

- Start with some initial policy  $\pi_0$  and alternate between the following steps:
  - **Policy evaluation:** calculate  $U^{\pi_i}(s)$  for every state  $s$
  - **Policy improvement:** calculate a new policy  $\pi_{i+1}$  based on the updated utilities
- Notice it's kind of like hill-climbing in the N-queens problem.
  - Policy evaluation: Find ways in which the current policy is suboptimal
  - Policy improvement: Fix those problems
- Unlike Value Iteration, this is guaranteed to converge in a finite number of steps, as long as the state space and action set are both finite.

## Method 2, Step 1: Policy evaluation

- Given a fixed policy  $\pi$ , calculate  $U^\pi(s)$  for every state  $s$

$$U^\pi(s) = R(s) + \gamma \sum_{s'} P(s'|s, \pi(s)) U^\pi(s')$$

- $\pi(s)$  is fixed, therefore  $P(s'|s, \pi(s))$  is an  $s' \times s$  matrix, therefore we can solve a linear equation to get  $U^\pi(s)$ !
- Why is this “Policy Evaluation” formula so much easier to solve than the original Bellman equation?

$$U(s) = R(s) + \gamma \max_{a \in A(s)} \sum_{s'} P(s'|s, a) U(s')$$



## Method 2, Step 2: Policy improvement

- Given  $U^\pi(s)$  for every state  $s$ , find an improved  $\pi(s)$

$$\pi^{i+1}(s) = \arg \max_{a \in A(s)} \sum_{s'} P(s' | s, a) U^{\pi_i}(s')$$

# Summary

- MDP defined by states, actions, transition model, reward function
- The “solution” to an MDP is the policy: what do you do when you’re in any given state
- The Bellman equation tells the utility of any given state, and incidentally, also tells you the optimum policy. The Bellman equation is  $N$  nonlinear equations in  $N$  unknowns (the policy), therefore it can’t be solved in closed form.
- Value iteration:
  - At the beginning of the  $(i+1)$ ’st iteration, each state’s value is based on looking ahead  $i$  steps in time
  - ... so finding the best action = optimize based on  $(i+1)$ -step lookahead
- Policy iteration:
  - Find the utilities that result from the current policy,
  - Improve the current policy